THE PLANT DISEASE REPORTER

Issued by

MYCOLOGY AND PLANT DISEASE REPORTING SECTION

INDEX TO VOLUME 41

Prepared by Nellie W. Nance

Crops Research Division, Plant Industry Station, Beltsville, Maryland
Volume 41 Index Number

AUTHOR INDEX

ADAIR, C. ROY, (911)
ADAMS, R. E., 760
AFANASIEV, M. M., (514), 517
ALANDIA B., SEGUNDO, 646
ANDERSEN, A. L., (478)
ANDERSON, C. W., 143
ARK, PETER A., 449, 452
ATKINS, I. M., (42), 995
ATKINS, JOHN G., (103), 105, 860, 911
AYCOCK, ROBERT, (620)
AYERS, T. T., (348)

BAINES, R. C., 405
BARMINGTON, R. D., (227)
BEIER, R. D., (225)
BELL, FRANK H., 646
BELL, W., (468)
BENNETT, C. W., 721, 1001
BERRY, S. Z., 3
BIANCHINI, CARLOS A., (560)
BIRCHFIELD, WRAY, 359, (525), 537
BIRD, L. S., 165
BLODGETT, E. C., (569)
BOEWE, G. H., (501), 904
BONDE, REINER, 936
BOOSALIS, M. G., 696
BOYCE, JOHN S., Jr., 948
BOYD, HELEN C., (579)
BRETZ, T. W., 368, 545, 546
BRIERLEY, PHILIP, (524), 691, 1005
BRIM, C. A., (923)
BROTHERS, SHELBY L., 772
BROWDER, L. E., (958)
BROWN, NORMAN E., (419)
BROWN, R. T., (657)
BRUEHL, G. W., 730
BUCHANAN, W. D., (546), 707
BURKE, DOUGLAS W., 72, 483, 488, 533, 671
BURKHOLDER, WALTER H., 1036
BUTLER, EDWARD E., 474

CABANILLAS, E., (884)
CALAVAN, E. C., (690)
CALDWELL, RALPH M., (975)
CALPOUZOS, L., (884)
CAMERON, JAMES W., (988)
CAMPANA, R. J., 636
CAPPELLINI, R. A., 117, 123
CARNES, J. L., (187), (271)
CAROSELLI. NESTOR E., 216
CARPENTER, J. B., 1014
CARTER, J. C., (636)
CATION, DONALD, 1029
CAVENESS, FIELDS E., 1058
CEPONIS, M. J., 491, (567)
CHAMBERLAIN, DONALD W., (579), (806), 1039
CHAPMAN, RICHARD A., 836
CHAPMAN, W. H., (109), (842), (964)
CHILDS, J. F. L., (1011)
CHILTON, JOHN E., 803
CHILTON, S. J. P., (105)
CHITWOOD, B. G., 525, 600
CHRISTENSEN, J. J., (994)
CHRISTIE, J. R., 267, (772)
CINQ-MARS, L., (468)
CLARK, FRED, (804)
COCHRAN, L. C., 690
COHEN, MORTIMER, 540
COLE, HERBERT, Jr., (205)
COMPTON, LEROY E., (975)
COOPER, W. E., (124)
CORBETT, M. K., (143)
COSTA, A. S., (743), 1006
COUCH, HOUSTON B., 205
COURSEN, B. W., (182)
COVEY, R. P., (505), (699)
COWLING, ELLIS B., 894
COX, R. S., 455, 755, 789, 790, 795, 796, 878
CRAIG, D. L., 79
CRALLEY, E. M., (105)
CROSSAN, D. F., 156

DALE, J. L., 681
DALY, J. M., 962
DARROW, GEO. M., (573)
DAVIS, B. H., (284), (460)
DAVIS, D., 890
DAVIS, G. N., (3)
DAVISON, ARLEN D., 432
DESJARDINS, P. R., 230
DeVAY, J. E., 505, 699
DeWOLFE, T. A., 405
DeZEEUW, D. J., (478)
DICKENS, L. E., (384)

DIENER, T. O., (569)
DiMARCO, G. R., 284, 460
DOLLIVER, JAMES, (402)
DRAKE, R. J., (230)
DUFFUS, JAMES E., (1001), (1006)
DUKE, GEORGE B., (424)
DUNLEAVY, JOHN M., (579)
DURBIN, RICHARD D., 678

EARHART, R. W., 863
EDWARDSON, JOHN R., (1037)
EL-GINDI, DAWOOD M., (605)
ELLETT, C. W., 369
EPPS, J. M., (33)
EPPS, WILLIAM M., 148
ESSER, R. P., 269, (600)
ERWIN, DONALD C., 324, 988
EVATT, N. S., 103

FARRAR, LUTHER L., 703, 986
FEDER, WILLIAM A., 33, (527)
FELDMESSER, JULIUS, (33), (527)
FELIX, E. L., 223
FERRIS, J. M., 1051
FIELDS, HENRY, (398)
FINLEY, A. M., 589
FISHER, FRAN. E., 77
FITZGERALD, PAUL J., 392
FOEPPEL, W. G., (72)
FORBES, IAN, Jr., 1037
FORD, HARRY W., 89
FOSBERG, F. RAYMOND, 1055
FREDERIKSEN, RICHARD A., 994
FREEMAN, T. E., 389
FREY, K. J., (964)
FRIEDMAN, B. A., (491), 567
FROLICH, E. F., (678)
FULTON, J. P., (398), 521, (681), 749
FUTRELL, MAURICE C., 42, 955, (995)

GAMMON, NATHAN, Jr., (177)
GARREN, KENNETH H., 924
GASKIN, T. A., 975
GATTANI, M. L., 156
GERHOLD, NORMAN R., 135, 227, (973)
GIAMALVA, M., (69)
GILLESPIE, W. H., 362
GILMER, R. M., 11
GOLD, A. HERBERT, 250
GOLDEN, A. MORGAN, 91
GOMES, JANINA C., (72)
GORE, U. R., (986)
GOULD, CHARLES J., 344
GRAHAM, J. H., 925
GRANT, THEODORE J., 230, 743
GRAY, REED A., 576
GREEN, G. J., 848

HACKER, R. G., 442
HACSKAYLO, E., 354
HAGEDORN, D. J., (478)
HAHN, GLENN GARDNER, 623
HALMOS, S., (890)
HAMILTON, J. M., (289), 293, 301
HAMILTON, R. I., (696)
HAMPTON, RAYMOND E., 735
HANSBROUGH, THOMAS, 1021
HANSING, EARL D., (202), (735)
HARDING, PAUL R., Jr., 564
HARDISON, JOHN R., 34, (983)
HAYSLIP, N. C., (878)
HERBERT, T. T., (798)
HEGGE, A. H., 201
HENNEN, J. G. 962
HEUBERGER, J. W., (156)
HILBORN, M. T., (1019)
HILDEBRAND, E. M., 661
HIMELICK, E. B., (541), (1051)
HOLDEMAN, QUINTIN L., 133
HOLLIS, JOHN P., (1021)
HOLMES, FRANCIS W., 634
HOOKER, A. L., 385, 592
HOPPE, PAUL E., 857
HORN, N. L., 69
HRUSCHOVETZ, S. B., 120
HSI, C. H., 308
HUBERT, FREDERIC P., 55
HUFFMAN, M. D., (115)
HUNT, JOHN, 650
HUTCHISON, M. T., (25)
HYRE, R. A., 7, (156), 612, (936)

JEFFERS, WALTER F., 415, (825)
JENKINS, ANNA E., 1055
JENKINS, J. M., Jr., (620)
JENKINS, W. R., 182
JENSEN, HAROLD J., 201
JOHNSON, A. G., 949
JOHNSON, BARBARA, (936)
JOHNSTON, C. O., 115, 853, (959)
JONES, T. W., (545)
JORGENSEN, PAUL S., 1009

KAUFMANN, M. J., 806
KELMAN, ARTHUR, 798
KENAGA, C. B., 303
KERBER, E. R., (848)
KERNKAMP, M. F., (10)
KIESLING, R. L., (303)
KINCAID, RANDALL R., 177
KIRBY, R. S., 534
KIRKPATRICK, J. D., (402)
KLARMAN, W. L., (904)
KNORR, L. C., (235)
KOEHLER, BENJAMIN, (256), 501
KORTSEN, ROBERT, (324)
KREITLOW, K. W., 579

LAMBERT, E. B., 348, 903
LANGE, C. T., (230)
LAUTZ, WILLIAM, 95, 174
LEBEAU, J. B., (120)

LEMIN, A. J., 447
LETT, LEONARD, (124)
LEUKEL, R. W., 992
LEWIS, G. D., 814
LEWIS, JARED, (201)
LEYENDECKER, PHILIP J., 53, 124
LINDEN, D. B., (699)
LINN, M. B., (303)
LLOYD, P. J., (156)
LOCKWOOD, JOHN L., 478
LORENTZ, PAUL, (691)
LORING, LINDSAY B., (201), 810, 815
LUCAS, G. B., (99), (939)
LUKE, H. H., 109, 842, (964)
LUND, S., (117)
LUNGREN, E. A., 962

MACHACEK, J. E., 317
MacNEIL, BLAIR H., 1032
MacWITHEY, H. S., Jr., 514
MAGEE, W. E., (447)
MAI, W. F., 402
MALCA M., ISAAC, 871
MANZELLI, M. A., 195
MARSH, P. B., 553
MARTENS, JOHN, (337)
MARTIN, P. J., (405)
MARTIN, W. J., (657), 928
MARTINEZ, AL, (537)
MATHERLY, ENID P., (537)
McCLEAN, A. P. D., 821
McCLELLAN, W. D., 47
McDONALD, W. C., (337)
McGRATH, HILDE, 128, 716, 904
McKINNEY, H. H., (250), 254, 256
McLEAN, D. M., 1057
McWHORTER, FRANK P., 83, 141
MEINERS, J. P., 983
MENON, S. K., (111)
MENZIES, J. D., (493)
MERKLE, O. G., (995)
MILLER, P. W., 17, 23, 1057
MILLER, PATRICK M., 19, 192, 194, 303
MILLS, I. K., (514), (517)
MINZ, G., 92
MOREIRA, S., (743)
MORGAN, O. D., 27, 51, 825
MORRISON, LOU S., (766)
MOSS, VIRGIL D., 709
MULLER, ALBERT S., (540)
MURPHY, H. C., (964)

NAIR, P. N., (505)
NAKAYAMA, ROY M., (53)
NATTI, JOHN J., 780
NEELY, DAN, (1051)
NELSON, R. R., 377
NIXON, ROY W., 1026
NORTON, DON C., 599
NOUR-ELDIN, FARID, 1011

ORCHARD, W. R., 945
OSHIMA, NAGAYOSHI, 10
OTEIFA, BAKIR A., 605
OWEN, JOHN H., 804, (871)

PADEN, W. R., (256)
PADY, S. M., 959
PALM, E. T., 151
PALMER, JOHN G. (354)
PANZER, JAMES D., 225
PARKER, K. G., (402)
PARRIS, G. K., 705
PERSON, L. H., (794), (798)
PETERSEN, L. J., 973
PICKETT, R. C., (241)
PINE, T. S., 822
PINNELL, EMMETT L., (876)
PLAKIDAS, A. G., 547, 643, 778
PLISSEY, E. S., (1019)
POWERS, H. R., Jr., 845
PRYOR, R. L., (47)
PURDY, LAURENCE H., 558, 916, 976

RAABE, ROBERT D., 694
RACE, S. R., (25)
RANNEY, C. D., (165)
RASCHKA, G. J., 512
RASKI, D. J., 770
REED, J. P., 25
REITZ, H. J., 235
RICH, SAUL, 465, 1033, 1058
RICHARDS, C. D., 1019
RICHARDSON, J. K., (468)
RIGGS, R. D., (794)
ROBERT, ALICE L., 856
ROBERTS, D. A., 928
RODRÍGUEZ, RICARDO A., 560
ROGERS, MARLIN N., 897
ROGERSON, CLARK T., (959), 1053
RORIE, FOREST GAY, 683
ROSBERG, DAVID W., 726
ROSEN, H. R., 209, 330
ROSS, J. P., 923
ROTH, L. F., (211)

SACKSTON, W. E., 337, 885, 926
SAPPENFIELD, W. P., (324)
SCHAFER, JOHN F., (975)
SCHNEIDER, I. R., 436
SCOTT, HOWARD A., (250)
SEGURA, C. BAZÁN de, 814
SELISKAR, C. E., (483)
SEYMOUR, CARTER, (398), (749)
SHAW, LUTHER, 99, 939
SHIGO, A. L., (362)
SIBRAY, W. S., (449)
SILL, WEBSTER H., Jr., 241, (735)
SIMONS, M. D., 964, 970
SINCLAIR, J. B., 657, 1045
SKOTLAND, C. B., 493

SLACK, D. A., 398
SMALL, R. H., (405)
SMITH, A. L., (124)
SMITH, J. BERT, 573
SMITH, JEAN L., (537)
SMITH, PAUL G., (177)
SMITHSON, HARRIET, (815)
SNETSINGER, ROBERT, 541
SOMERVILLE, A. M., Jr., 187, (271)
SOTO, CARLOS A., (560)
SPRAGUE, RODERICK, 74
STELFOX, H. B., (120)
STEVENS, HARLAND, (392)
STODDARD, E. M., 536
STOLLER, B. B., 531
STOLZY, L. H., (405)
STRUBLE, F. BEN, 766
SZKOLNIK, MICHAEL, 289, (293), (301)

TAMBURO, S. E., (760)
TANDON, I. N. 202
TANRISEVER, AZIZ, (721)
TAYLOR, A. L., 527
TAYLOR, GORDON S., (465)
TAYLOR, L. H., (598)
THEIS, T., 884
THOMAS, H. ALLEN, 526
THOMASON, IVAN J., 177
THOMPSON, JAMES B., (452)
THORNE, GEORGE F., Jr., 99
TIMIAN, R. G., (292)
TODD, EDWIN H., 650
TOKO, H. V., (730)
TOOLE, E. RICHARD, 808
TRAVIS, R. V., 524
TRESHOW, MICHAEL, 118
TRIONE, E. J., 211
TRUE, R. P., (362)
TULLIS, E. C., (225)
TYLER, D. J., 384

Van ADRICHEM, M. C. J., (945)
Van GUNDY, SEYMOUR D., 137, 1016
Van NOSTRAN , F. E., (796)
VANTERPOOL, T. C., 481
Van WEERDT, L. G., 832
VAUGHAN, E. K., (17)
VAUGHN, JOHN R., (432), (422), 962

WALDO, G. F., (23)
WALKER, J. C., (137)
WALLACE, A. T., (109), (842), (964)
WALLACE, JAMES M., (230), 394
WALLEN, V. R., 468
WALLIN, JACK R., 612
WATKINS, G. M., (165)
WATSON, ALICE J., 547
WEATHERS, L. G., 741
WEBER, GEORGE F., (359), 494, 640
WEBSTER, O. J., (992)
WEINHOLD, A. R., (973)
WELLS, HOMER D., (1037)
WEST, J. A., 600
WHITEHEAD, MARVIN D., 419, 876
WHITLOCK, LEIGH S., 814
WILHELM, STEPHEN, 941
WILLIAMS, A. S., 598
WILLIAMS, LANSING E., 111, 919
WILSON, J. D., (612)
WILSON, W. F., (69)
WINFREE, J. P., (755)
WINSTEAD, N. N., 620, 794
WISER, W. J., (856)
WOOD, JESSIE I., 129
WOODBRIDGE, C. G., 569
WRIGHT, ERNEST, (650), 811, 892
WRIGHT, N. S., 608

YOUNG, H. C., Jr., 958
YOUNG, ROY A., (151)
YOUNG, V. H., Jr., (187), (195), 271

ZEIDERS, K. E., (925)
ZENTMYER, GEORGE A., (678)
ZUCKERMAN, BERT M., 278, 674

SUBJECT INDEX

Abelia chinense: Cercospora leaf spot, 1st rept. on this host in U. S. (Illinois), 904
Abies fraseri: Phacidiopycnis pseudotsugae, 623
AC 5223, 294
AC streptomycin, 301
Aceria sp., 541
--- tulipae, 590
Acetone, 535
Achlya sp., 75
Achras sapota: Elsinoë lepagei, 540
Achromycin, 806
Acrobeles, in Israel, 94
Acrobeloides, in Israel, 94
Acti-dione (see also cycloheximide), 17, 160, 205, 303, 432, 433, 561, 674, 711, 781, 822, 1029, treatment of blister rust trunk cankers on western white pine, 709
Actinopelta dryina, 1052
Aecidium sp., on Ullucus tuberosus, 648
--- capsici, 648
Africa, 377
Agallina ensigera, 648
Agaricus campestris: thermal death times for fungus pests of, 348
Ageratum sp.: Puccinia conoclinii, 369
Aglaonema simplex: Sphaerobolus stellatus, 537
Agrimycin, 149, 561, 879
Agrimycin 100, 781, 792
Agristrep, 457, 781, 879
Agrobacterium tumefaciens, 74, 449, 648, 649, 674
Agropyron spp.: cereal yellow dwarf, 732
--- amurense: dwarf bunt, 1st rept. on this host (Pacific Northwest), 983
--- dasystachyum: dwarf bunt, 1st rept. on this host (Oregon), 983
--- repens: dwarf bunt, 1st rept. on this host in North America (Oregon), 983
--- riparium: dwarf bunt, 1st rept. on this host (Pacific Northwest), 983
Agrostis: Fusarium patch, 344
Agrotricum hybrids: wheat streak mosaic (virus), 591
Agrox, 107, 992
Ajuga sp.: Sclerotium rolfsii, 369
Alabama, 116, 125, 254, 854, 971
Alaska, 650
Albamycin, 453, 454
Alberta, 120
Albizzia julibrissin: vascular wilt, 640; wilt, spreading in Maryland, 51
Albugo candida, 648
--- tragopogonis, 647, 885
Aldrin 50W, 468
Alfalfa: Aphelenchus spp., 92; bacterial stem blight, 876; bacterial wilt, 123, 1041; crown rot (undet.), 647; downy mildew, 647; leaf spot, 123; Meloidogyne hapla, 770; mosaic (virus), 123; Pratylenchus spp., 839; Radopholus similis, 33; Rotylenchus spp., 93; Sclerotinia crown and stem rot, 123; Sclerotinia wilt, 72; southern anthracnose, 123; spring black stem, 123; Stemphylium leaf spot, 123; Tylenchorhynchus spp., 93; Tylenchus spp., 94; yellow leaf blotch, 123
Allium canadense: Uromyces bicolor, 369
--- cepa: Puccinia asparagi, 369
Allyl bromide, 174
Almond, bitter: Paurodontus sp., 92; Radopholus sp., 93; Tylenchorhynchus spp., 93
Alopecurus pratensis: Mastigosporium album, 1st rept. on this host from Nova Scotia, 949
Alpha-carboxyethyl N-3-chloro-PC, 439
Alternaria sp(p.), 75, 338, 761, 506
--- brassicae, 648
--- longipes, 647
--- porri, 789
--- solani, 135, 657, 890
--- tenuis, 75, 474
--- zinniae, 371
Amaranthus retroflexus: Sclerotinia wilt, 72
Amphomycin, 454
Amphotericin A, 781
Amphotericin B, 781
Andropogon gerardi: Sphacelotheca seymouriana, 369
--- scoparius: Sorosporium ellisii, 369; Sphacelotheca occidentalis, 369
Anemone quinquefolia: Urocystis anemones, 369
Angular leafspot, of tobacco, 804
Anisomycin, 534, 561, 781
Annona: Helicotylenchus sp., 92; Xiphinema sp., 94
Announcement: "Bibliography of forest disease research in the Department of Agriculture",

by Agnes Ellis Moore, Miscellaneous Publication number 725, 496; Results of 1956 Fungicide Tests, 905
Annulus dubius, 144
--- orae, 928
--- tabaci, 61, 928
--- wellmanii, 144
Anthracnose, of bean, 303; blackberry, 766; celery, 790; Citrus limon, 77; Coronilla varia, 925; cucumber, 69; flax, 995; Iris, 904; turf, 346
Anthracnose, southern, of alfalfa, 123
Antibiotics, as seed treatments for control of bacterial wilt of sweet corn, 919; effect of, on Pseudomonas glycinea, 806; inhibitory effect on Phyllosticta coffeicola, 561; for control of crown gall of highbush blueberry, 674; for control of downy mildew of broccoli, 780; for control of powdery mildew of rose, 534
Anticarie, 558, 976
Antirrhinum majus: Oidium sp., 369; powdery mildew, 330; Sclerotinia sclerotiorum, 369
Aphanomyces euteiches, 478
Aphelenchoides sp(p.), 25, 526, 752, 1019, in Israel, 92
--- besseyi, 398, 523
--- fragariae, 398
Aphelenchus sp(p.), 25, 526, in Israel, 92
--- avenae, 255
Aphis gossypii, 87, 396
--- rumicis, 1001
Apple (see also Malus): Aphelenchoides spp., 92, 1019; cedar-apple rust, Thioneb and ferbam for control, 293; Ditylenchus spp., 92; Helicotylenchus sp., 92; nematodes, 187, in New York orchards, 402; Paratylenchus sp., 92; powdery mildew, 293, 330; Pratylenchus spp., 93, 1019; Radopholus sp., 93; Rotylenchus spp., 93; scab, 649, Omadine OM1565 for control 293; spot-rot complex in West Virginia, 760; Tylenchorhynchus spp., 93; Tylenchus (?costatus), 93; Xiphinema sp., 94; Xiphinema americanum, 94
Apricot: ring pox virus not tranmitted through apricot seeds, 690
Arasan, 69, 106, 166, 309, 416, 468, 857
Arasan 75, 992
Arasan 75, and Aldrin 50W, 468
Arasan SFM, 992
Arasan SFX, 107
Argentina, 647
Arizona, 125, 139, 190, 1014
Arkansas, 105, 116, 125, 209, 330, 398, 521, 681, 688, 749, 854, 923, 930, 971
Armillaria mellea, 58, 895, 1057
Arrhenatherum elatius: dwarf bunt, 983
Arrhenodes minuta, 707
Ascochyta spp., 479
--- gossypii, 125
--- imperfecta, 123
--- pisi, 480, 648
Ascosin, 438
Aspergillus sp(p.), 75, 506, 558, 761
Attaclay, 308
Aureogenus vastans, 928
Aureomycin, 453, 461, 806
--- hydrochloride, 17
Australia, 377
Austria, 91
Avena spp.: cereal yellow-dwarf virus, 732
--- sativa: Claviceps purpurea, 369; Septoria avenae, 369
Avocado: Aphelenchus spp., 92; Criconemoides sp., 92; Ditylenchus spp., 92; Helicotylenchus sp., 92; root rot, hot water treatment of seed for eradication of, 678; Rotylenchus spp., 93; Tylenchorhynchus spp., 93; Tylenchus spp., 94; Tylenchus (?costatus), 93; Xiphinema americanum, 94
Axonopus affinis: Striga sp., 379
--- compressus: Radopholus similis, 33
Ayfactin, 781

Bacillus subtilis, 151, 787
Bacitracin, 453, 454, 781
Bacteria, 761, on corn, 506
Bacterial blight, of bean, 488; celery, 793; Corylus sp., 1058; Juglans regia, 1057
--- gummosis of sugar cane, see bacterial wilt
--- leaf and stalk rot, of corn, 647
--- pustule, of soybean, 647
--- ring rot, of potato, 155
--- seed piece decay, of potato, 148
--- spot, of tomato, 878
--- stalk rot, of corn in North Carolina, 798
--- stem blight, of alfalfa, 876
--- wilt, of alfalfa, 123, 1041; bean, 483, 488, 671; Saccharum spp., 60; sweet corn, 919;

tobacco, 61
Bactericide, 150
Bacterium stewarti, 919
Bakanae disease, of rice, 860
Balansia strangulans, 370
Banana: Aphelenchoides spp., 92; Aphelenchus spp., 92; Helicotylenchus sp., 92; Hoplolaimus sp., 92; Paurodontus sp., 92; Pratylenchus brachyurus, 92; Pratylenchus penetrans, 93; Pratylenchus scribneri, 93; Radopholus sp., 93; Radopholus similis, 1st rept. from Louisiana on this host, 814; Rotylenchus sp., 93; Triplonchium sp., 93; Tylenchorhynchus parvus, 93; Tylenchus spp., 94; Tylenchus (?costatus), 93; Xiphinema americanum, 94
Barley: Aphelenchoides spp., 92; barley stripe mosaic (virus), 392; blights, 46; covered smut, 647, 987; leaf rust, 46, 870, 987; loose smut, 117, 202, 870, 987; nematodes found in soil, 703; net blotch, 117, 987; powdery mildew, 117, 330, 987; Rotylenchus spp., 93; rust, 647; scab, 870; scald, 117, 647, 870, 987; seedling blight and smut, 317; smut, seed treatment, 317; spot blotch, 870, 987; stem rust, 46; stripe, 870, 987; stripe mosaic (virus), 117, 514, 735; terminal bleach, 118; Triplonchium sp., 93; Tylenchorhynchus spp., 93; Tylenchus spp., 94; wheat streak mosaic (virus), 590
Basidiomycetes, 75
BB/360/302, 1047
Bean: anthracnose, control by fungicides in greenhouse tests, 303; Aphelenchoides spp., 1019; bacterial blight, 488; bacterial wilt, 483, 488, on different type soils, 671; chocolate spot, 648; crown and root rot, 648; disease incidence and yield in relation to cultivation injury, 483; Fusarium rot, 483; Macrophomina phaseoli, 1st rept. on this host in Peru, 814; Paratylenchus sp., 1019; Pellicularia filamentosa, 533; powdery mildew, 330; Pratylenchus spp., 1019; Radopholus similis, 33; Rhizoctonia root rot, 484; root rot, effect of antibiotics and chemicals on fungi causing, 432; rust, 648, 884, effect of potassium gibberellate, 890; Sclerotinia wilt, 72, 483; wind-whip, 795
Bean, pea: rust in New York, 1036
---, lima: downy mildew, 156, forecasting 7, 223; effect of chemical treatments, storage periods and storage temperature on viability of seed, 308
Bedrench, 355
Beet: curly top (virus), 648; Meloidogyne sp., 648; Radopholus similis, 33; rust, 648
---, sugar: curly top (virus), 53, 648, in Turkey, 721; Heterodera schachtii, 201; rosette (virus), 1001; rust, 648
Belgian Congo, 930
Belonolaimus, 187, 772
--- gracilis, 182
Bemisia sp., 86
Beta macrocarpa: curly top (virus), 723
Bibliography, of viruses infecting soybean, 579
Bidens pilosa: mosaic (virus), 145
Biocides, effects on growth of seedling pines, incidence of mycorrhizae in field plots, 354
Bioquin 1, 308
"Bird's eye spot", of rubber, 57
Birdsfoot trefoil, see Lotus
Blackberry: anthracnose control, relation to yield, 766
Black leg, of cabbage, 303
"Black leg and hollow stalk", of tobacco, 61
Blackline, of Juglans regia, 1057
Black mold, of corn, 647
Black pod rot and canker, of cacao, 58
Black root rot, of Cinchona spp., 59; Helianthus, 885; strawberry, 825; tea, 57; Theobroma cacao, 58; tobacco, 174
"Black rot", of Saccharum, 60
Black rot, of sweetpotato, 661
Black shank, of tobacco, 61, 177
Black spot, of rose, 209
Black stem, of oats, 986
Black stripe (black thread, black canker), of rubber, 57
Blast, of rice, 915
Blight, of American chestnut, 359; oats, 46
Blights, of barley, 46
Blister blight, of tea, 57
Blister rust, white pine, of Pinus monticola, P. lambertiana, 709
Blossom blight, of pear, 301

Blue and gray molds, of pear, 567
Blue and green molds, of Citrus, 564
Blue mold, of tobacco, 465, 940
Blue spotting, of potato, 608
Blueberry; tolerant to V- 13 Nemacide, 199
---, highbush: crown gall, field evaluation of antibiotics for control of, 674
Boleodorus, in Israel, 94
Bolivia, 646
Book reviews: Biology and Control of the Smut Fungi, by George William Fischer and Charles Stewart Holton, 715; Diseases of Field Crops by James G. Dickson, 128; Diseases of Fruit Crops by Harry Warren Anderson, 129; Plant Diseases Due to Bacteria, by W. J. Dowson, 904
Bordeaux mixture, 57, 61, 101, 205, 289, 767, 939
Borneo, 55
Botryodiplodia theobromae, see Thyridaria tarda
Botryosphaeria ribis, 370, 761, 808
Botrytis sp(p.), 506, 567, 648
--- cinerea, 369, 474, 755, 761, 878
--- gladiolorum, 47
--- rot, of strawberry, 460
Bouteloua barbata: rust, 54
Brassica nigra: Peronospora parasitica, 369
Brazil, 235, 540, 743
Bremia lactucae, 455
Brentids, vectors of the oak wilt disease, 707
British Columbia, 569, 608, 945
Broccoli: downy mildew, control with antibiotics and fungicides, 780; Radopholus similis, 33
Bromus sp.: Aphelenchoides spp., 92; brown spot, 123; leaf rust, 123; Tylenchorhynchus spp., 93
--- catharticus: Striga sp., 379
Brown root, of rubber, 57; Coffea spp., 59
Brown rot, of Citrus, 405; peach, 284, 289, 648
Brown spot, of brome grass, 123
Brown stain, of filbert, 1058
Bud blight, of Helianthus, 885
Bud rot, of Cocos nucifera, 61
Bull's-eye, of pear, 567
Bunt, of wheat, 317
Buxus spp.: Helicotylenchus, 1021; nematodes, 187; Pratylenchus spp., 187
--- microphylla var. japonica: Radopholus similis, 832
--- sempervirens var. suffruticosa: nematode control with V-C 13 Nemacide, 271
Cabbage: Alternaria brassicae, 648; black leg, control by fungicides in greenhouse tests, 303; club root, 1033; effect of chemical treatments, storage periods and storage temperature on viability of seed, 308
Cacao, see Theobroma
Cachexia, see xyloporosis
Cacopaurus sp., 270
"Cadang-cadang" disease, of Cocos nucifera, 61
Cal Spray 80% HCB, 977
Calathea lietzei: Radopholus similis, 832
Calcium sulfamate, 709
Calendula officinalis: Puccinia flaveriae, 369
California, 3, 83, 91, 125, 137, 139, 180, 190, 230, 324, 394, 405, 474, 525, 547, 564, 644, 678, 690, 694, 721, 730, 741, 770, 822, 930, 941, 988, 1001, 1006, 1009, 1016
Callistephus chinensis: Botrytis cinerea, 369
Caltha palustris: Radopholus gracilis, 599
Camellia japonica: Sclerotinia camelliae (petal blight), 1st rept. on this host from Texas, 547
Canada, 468, 848, 889, 964
Candicidin, 438, 781
Canistel, see Pouteria
Cantaloupe: Radopholus similis, 33
Canuck Liquid Mercury, 317
Canuck Organic Mercury SD, 317
Capitophorus fragaefolii, 688
--- minor, 683
Captan, 77, 78, 136, 148, 150, 151, 166, 216, 285, 294, 325, 326, 415, 419, 420, 421, 461, 659, 857, 1030, 1047
Captan 50-W, 205, 289, 781, 822
Captan 75, 107
Captan 90 W, 781
Captan plus HCB 40-40, 977
Carbon disulfide, 259
Carrot: effect of chemical treatments, storage periods and storage temperature on viability of seed, 308; Meloidogyne sp., 648; Meloidogyne hapla, 770; Paurodontus sp., 92; Pratylenchus spp., 1019; Radopholus similis, 33; scab, 53; Tylenchorhynchus spp., 93

Carnation: Pseudomonas caryophylli, 182
Carthamus tinctorius: damping-off, control with antibiotics, 160; Pythium root rot, control by soil treatment, 160
Carya illinoensis; nematodes, 705; rosette (zinc deficiency), 54
Castanea dentata: blight in North Carolina, 359
--- pumila: oak wilt, 368
Catalpa speciosa: Verticillium wilt, 1053
Cauliflower: Alternaria brassicae, 648
CBP, 515
CBP 55, 416, 417
Celery: anthracnose, 1st rept. on this host (Florida), 790; bacterial blight, 793; early blight, 793; Septoria sp., 648; Tylenchorhynchus maximus, 93; Tylenchus spp., 94
Celtis occidentalis: witches'-broom, 541
Cenchrus sp.: Striga sp., 379, 381
Cephaleuros parasiticus, 57
Cephalobus, in Israel, 94
Cephalosporium sp., 506
--- gramineum, 384
Cephalothecium roseum, 761
Ceratocystis fagacearum, 362, 368, 436, 545, 546, 707, 948; effect of antibiotics, antifungal substances, and phenylcarbamates on growth of, in culture, 436
--- fimbriata, 661
--- ulmi, 634, 636
Ceratostomella fimbriata, 57
--- paradoxa, 60
--- ulmi, effect of antibiotics, antifungal substances, and phenylcarbamates on growth of, in culture, 436
Cercis canadensis: Verticillium wilt, 1053
Ceroospora sp., 1051; on lettuce, 648
--- afflata, 1052
--- apii, 793
--- citrullina, 794
--- deutziae, 904
--- kopkei, 60
--- leaf spot, on Abelia chinense, 904
--- nicotianae, 61
--- rautensis, on Coronilla varia, 925
--- vignicola, 697
--- zebrina, 123, 926
Cereals: Dorylaimus spp., 92; terminal bleach, 118; trends in diseases in Texas in recent years, 42
Ceresan 75, 977, 992
Ceresan 200, 107, 326, 327, 977
Ceresan D, 317
Ceresan M, 107, 317, 977, 992
Ceresan M-2X, 107, 420
Ceresan S, 317, 420
Cereus sp.: Discolaimus sp., 92; Hoplolaimus sp., 92; Rotylenchus spp., 93; Tylenchorhynchus spp., 93
Certification program, strawberry plants in Arkansas, 749
Ceylon, 931
Chaetomium sp(p.), 506, 760, 761 943
--- globosum, 896
--- olivaceum, 350
Chamaecyparis lawsoniana: root rot, 211
Chemical control, of straighthead of rice, 103
Chenopodium album: curly top (virus), 723
--- amaranticolor: curly top (virus), 723
--- ambrosioides anthelminticum: mosaic (virus), 145
--- murale: curly top (virus), 723
Cherry: Coccomyces hiemalis, Cyprex for control of, 1029
--, sour: latent virus, Cocozelle squash differential host for, 11; nematodes in New York orchards, 402
---, sweet: Lambert mottle (virus), 517
Chile, 1041
China, 915
Chinese Evergreen, see Aglaonema
Chinkapin, see Castanea
Chipman 80% HCB, 977
Chlorobromopropene, 174
Chlorogenus callistephi, 53
Chloromycetin, 453, 454, 561
Chloropicrin, 259, 415, 416, 417
2-(1-chloropropyl) N-PC, 439
Chlorosis, of red clover, 120
Chocolate spot, of bean, 648
Cinchona spp.: black root rot, 59; "mope" disease, 59; pink disease, 59; root-splitting disease, 59; stem canker, 59
Circulifer tenellus, 721, 999, 1001
Citrullus vulgaris: Pseudomonas lachrymans, 139
Citrus: Aphelenchus spp., 92; blue and green molds control by ammonia pellets, 564; brown rot (Phytophthora spp.), control by Vapam, 405; citrus canker, 1055; Ditylenchus spp., 92; nematodes native to Florida,

525; Radopholus gracilis, 600; Radopholus similis, 33; seedling yellows virus in clones suspected of being infected with tristeza virus, 394; spreading decline same as yellows disease of Piper nigrum, 267; Trichodorus (? primitivus), 93; tristeza (virus), 1011, evidence for absence of seed transmission, 821; tristeza and psorosis viruses, effect of heat treatments, 232; Tylenchorhynchus spp., 93; Tylenchus spp., 94; vein-yellowing disease (apparently new virus disease), 741; Xiphinema sp., 94; xyloporosis (virus) in Brazil, 743
--- aurantifolia: Rangpur lime disease, relationship between causal virus and exocortis virus, 235; tristeza virus, suppression by heat treatments, 230; Tylenchulus semipenetrans, 93
--- --- var. dulcis: Tylenchulus semipenetrans, 93
--- aurantium: Macrophomina phaseoli, 1st rept. on this host in Peru, 814; Tylenchulus semipenetrans, 93
--- canker, of Citrus spp., 1055
--- limon: anthracnose, 77; Hemicycliophora sp., 1st rept. on this host (Calif.), 1016; Radopholus similis, 823; scab, 77; tristeza in Meyer lemon in Arizona, 1014
--- root nematode, native to Florida soils, 525
--- rootstock, abnormal, observations on reactions in Brazil, 743
--- sinensis: bark pitting, an unreliable symptom of tristeza, 1011; Radopholus similis, 832
--- trifoliata: exocortis (virus), 235
Cladosporium sp(p.), 75, 506, 761
--- fulvum, 657, 1058
--- herbarum, 105, 647
Claviceps purpurea, 369
Clove, see Eugenia
Clover, see Trifolium
Club root, of cabbage, 1033
Coarse root, of tobacco, 174
Coccomyces hiemalis, on cherry, 1029
Cochliobolus heterostrophus, 647
Cocos nucifera: bud rot, 61
--- nucifera: "cadang-cadang" (cause unknown), 61; drought injury, 61; leaf blight, 61
Coffea spp.: brown root disease, 59; leaf rust, 58; pink disease, 59; red root, 58
--- arabica: "derrite" in Costa Rica, 560
--- liberica: Phomopsis sp., 560
Coleosporium campanulae, 370
--- solidaginis, 1052
Colletotrichum sp(p.), 99, 904, 940
--- atramentarium, 1032
--- falcatum, 60
--- gloeosporioides, 77, 925
--- gossypii, 328
--- graminicola, 346
--- lagenarium, 69, 370
--- leaf spot, of pepper, 648
--- liliacearum, 904
--- lindemuthianum, 303
--- lini, 995
--- trifolii, 123
--- truncatum, 790
Colorado, 72, 116, 135, 139, 190, 227, 483, 488, 533, 671, 962, 973, 1058
Commelina nudiflora: cucumber mosaic virus, 143, 145
Compound C-272, 1047
Compound CP-376, 1057
Compound MN-1-9, 1047
Compound MN-3-9, 1047
Compound Z-2346, 1047
Conifers: Phacidiopycnis (Phomopsis) canker and dieback, life cycle and control, 623; Valsa (Cytospora), 811
Coniophora arida, 896
--- cerebella, 896
--- olivacea, 896
--- puteana, 896
Coniothyrium fuckelii, 761
Connecticut, 19, 187, 190, 192, 194, 465, 536, 623, 1058
Control, of anthracnose of blackberry 766, rough lemon seedlings, 77; apple scab and cedar-apple rust with Omadine, AC5223 and other fungicides, 293; bacterial seed piece decay of potato in S. C., 148; barley stripe mosaic virus by greenhouse seed-lot testing technic, 735; bean mosaic and tobacco mosaic viruses with cytovirin, 576; black spot and powdery mildew of roses with copper oxychloride sulfate, 209; blind seed disease of Lolium perenne, 34; blossom blight of pear, with Omadine, 301; brown rot of Citrus and Tylenchulus semipenetrans by Vapam, 405; brown rot of peach by chemical dips, post-harvest treatments, 284; cherry leaf spot in Michigan,

1029; club root of cabbage, 1033; cotton seedling disease by in-the-furrow application of fungicides, 419; crown gall of highbush blueberry, 674; crown gall of roses with antibiotics, 449; damping-off of safflower with antibiotics, 160; dead-arm of grape, 822; "derrite" (Phyllosticta coffeicola) of coffee, 560; downy mildew of cucumber with antibiotics 452, lettuce with zineb and maneb 455, lima bean 156; dwarf bunt of wheat with hexachlorobenzene, 916; early blight of potato, 136; fire blight of pear, by different streptomycin formulations, 19; flag smut of wheat with hexachlorobenzene seed treatment, 558; foliar diseases of bean, cabbage and corn by fungicides in greenhouse tests, 303; foliar diseases of tomato, 878; fungal decay in packaged cranberries, 564; Fusarium and bacterial black leg of geranium with oxyquinoline sulfate and streptomycin, 536; Fusarium wilt and root-knot nematode of tobacco with soil fumigants, 27; leaf curl of peach, with Omadine 1565, 289; loose smut of barley by water-soak and anaerobic treatments, 201; mat-production by girdling oak wilt trees in West Virginia, 362; melting-out of Kentucky bluegrass, 205; nematodes in potted ornamentals with V-C13 nemacide, 271; Phomopsis blight of Juniper, 216; pink disease of rubber by acid-free coal tar, 57; powdery meldew of rose, 534; Pythium root rot of safflower by soil treatment, 160; red stele of strawberry by chemicals, 515; Rhizoctonia damping-off of seedlings, 1045; rots of cranberry with fungicide concentrates applied by helicopter, 278; rots of strawberry with post-harvest treatments, 460; straight-head of rice, 103; Striga in the Carolinas, 382; wildfire of tobacco with streptomycin sulfate and streptomycin nitrate, 99, 939

Copper A, 657, 789

Copper carbonate, 992

Copper-manganese, 781

Copper Omadine, 303

Copper oxinate, 308, 309

Copper oxychloride, 57

Copper oxychloride sulfate, 209

Copper spot, on golf greens, 344

Copper sulfate, 78, 416, 553

Copper treated paper wrappers, for mature-green tomatoes, 474

Copper-zinc, 781

Coprinus sp., 895

Corn: Aphelenchoides spp., 1019; bacterial leaf and stalk rot, 647; bacterial stalk rot, 798; black mold, 647; Curvularia sp., 647; diseases in Minnesota, 505; Gibberella zeae, 699; Helminthosporium maydis, 647; leaf blight, 507; leaf spot, 647; methods of testing lines of, for disease resistance, 699; northern leaf blight, 699, 796; Pratylenchus, 837, 1019; Pratylenchus penetrans and P. scribneri, 838; Radopholus similis, 33; root rot, 505; rust, 507, 647, 856, control by fungicides in greenhouse tests, 303; seed treatment, comparison of captan and Arasan, 857; seedling blight, 505; smut, 507, 647, 699; southern leaf blight, 796; stalk rot, 501, 505; stalk-rot fungi, cork borer technique of inoculating, 111; Striga in fields in North and South Carolina, 377; Striga asiatica reduced yield in South Carolina, 134; tar spot, 647; Trichodorus spp., 706

--- sweet: bacterial wilt, effect of materials when applied as seed treatments, 919; effect of chemical treatments, storage periods and storage temperature on viability of seed, 308; Fusarium moniliforme, 989; Pythium graminicola, 988; wheat streak mosaic (virus), 589

Cornus: nematodes, plant parasitic, 187

--- nuttallii: Fusicladium sp., 1st rept. on this host (Oregon), 810

Coromerc, 1047

Coronilla varia: anthracnose, 925; Cercospora rautensis, 925; Fusarium, 925; Leptosphaeria, 925; Myrothecium, 925; Ophiobolus, 925; Phoma, 925; Rhizoctonia, 925; Stemphylium spp., 925

Corrections, 64, 128, 219, 496,

547, 650, 716, 815, 905, 1059
Corticium sp., 896
--- fuciforme, 344, 346
--- salmonicolor, 57, 59
--- scutellare, 896
--- solani, 533
--- vagam, 432
Corylus sp.: bacterial blight, 1058; brown stain (non-par.), 1058; powdery mildew, 1058
Corynebacterium flaccumfaciens, 483, 488, 671
--- --- var. aurantiacum, 488, 671
--- insidiosum, 123, 1041
--- rathayi, 598
--- sepedonicum, 155
Corynespora cassiicola, 696
Coryneum blight, of plum, 648
--- carpophilum, 648
Costa Rica, 560
Cotinus coggygria: Verticillium albo-atrum, 369
Cotton: diseases, reduction in yield caused by, 124; Fusarium wilt, 182; nematodes, 705; new virus disease in Texas, 726; Rhizoctonia damping-off, of seedlings, 1045; root rot, 54; rust, 54; seedling disease, damping-off and nub root, 419; seedling-disease complex, difficulties in controlling by mixing fungicides with covering soil at planting time, 165; seedling diseases (Rhizoctonia, etc.) 54, effect of fungicides on, in irrigated desert valleys of California, 324; Triplonchium sp., 93; Tylenchorhynchus maximus, 93; Verticillium albo-atrum, 803; Verticillium wilt, 53, 341
Cottonseed oil formulations of organic fungicides, for shade tobacco foliage, 465
Cowpea, see Vigna
Crag Fungicide 974, 433
Cranberry: ammonia pellets for control of fungal decay in packaged, 564; rots, fungicides applied by helicopter to bogs in Massachusetts, 278
Criconemoides sp(p.), 187, 402, 404, 525, 526, 703, 705, 773, in Israel 92
--- xenoplax, 526
Cronartium ribicola, 709
Crotalaria spectabilis: Radopholus similis, 33
Crown gall, of grape, 649; highbush blueberry, 674; peach, 648; pear, 74; roses, 449; alfalfa, 647; Melilotus, 647
Crown and collar rot, of Juglans regia, 1057
Crown and root rot, of bean, 648
Crucifers, wild: Albugo candida, 648
Cuba, 540, 911, 930
Cucumber: anthracnose, seed and insect transmission, 69; Cercospora leaf spot, 1st rept. in North Carolina, 794; downy mildew, control with antibiotics, 452; Pseudomonas lachrymans, 137; Sclerotinia wilt, 72; stone fruit virus isolates, 11
Cucumis anguria: Pseudomonas lachrymans, 137
--- dipsaceus: Pseudomonas lachrymans, 139
--- ficifolia: Pseudomonas lachrymans, 139
--- melo: Pseudomonas lachrymans, 133
--- prophetarum: Pseudomonas lachrymans, 139
Cucurbit angular leaf spot, see Pseudomonas lachrymans
Cucurbita maxima: Pseudomonas lachrymans, 139
--- moschata: Pseudomonas lachrymans, 139
--- okeechobeensis: Pseudomonas lachrymans, 139
--- pepo: Pseudomonas lachrymans, 139
Cucurbits: powdery mildew, 330, 648; Pseudomonas lachrymans, 137
Culm damage, of oats, 865
Culm rot, of oats, 986
Cumene Hydroperoxide, 285
Curvularia, 105, on corn, 647
--- geniculata, 75
--- inaequalis, 75
--- trifolii, 47, 120
Cuscuta spp., 1001
Cycloheximide, 438, 447 (see also Acti-dione)
Cylindrocarpon radicicola, 75, 339, 941, 943
Cylindrosporium sp., 761, 1051
Cynodon dactylon, 1016; Helminthosporium cynodontis Marig., new disease (Florida), 389; Radopholus similis, 33; Striga sp., 381
Cyprex, for control of cherry leaf spot in Michigan, 1029
Cytospora sp., 761
--- chrysosperma, 892
--- kunzei, 811

Cytovirin, 576

Dactylis glomerata: powdery mildew, 330; purple leaf spot, 123; Rathay's disease, 1st rept. from Virginia, 598; Rhynchosporium orthosporum, 369; scald, 123; stripe smut, 123; Ustilago striiformis, 369
Dactylium dendroides, 350
Daedalea confragosa, 895
--- quercina, 895
--- concentrica, 896
Damping-off, of safflower, 160
Damping-off and nub root, of cotton, in-the-furrow application of fungicides for control, 419
Darluca filum, on Puccinia polysora and P. sorghi 856, Puccinia stenotaphri 547
Datura stramonium: curly top (virus), 723
D-D, 27, 416, 528, 825, 1023
Dead-arm disease, of grape, 822
Decline, of pear in Pacific Northwest, 569
Deficiency diseases: rosette of pecan, 54
Delaware, 7, 156, 634, 938
Delsan, 107
Delsan AD, 468, 992
Denmark, 91
Deutzia acabra: Cercospora leaf spot, 904
Diabrotica undecimpunctata howardi, 69
Dianthus armeria: Septoria dianthi, 369
--- caryophyllus: Fusarium poae, 370
Diaporthe vaccinii, 564
1, 2-dibromo-3-chloropropane, 825
Dichlone, 150, 151, 216, 465, 755
Dichloropropene-dichloropropane (D-D), 259
Dieback, of onion, 789, rubber 57, Theobroma cacao 58,
Diehliomyces microspora, 350
Dieldrin, 706
Digitaria sanguinalis: Panicum mosaic virus, 241; Striga sp., 379; Striga asiatica, in South Carolina, 133
Dimethyl formamide, 453
Diplocarpon rosae, 209
Diplodia theobromae, 58
--- zeae, 111, 501, 506
Discolaimus, in Israel, 92, 94
Diseases, of corn in Minnesota, 505; export crops in Indonesia, 55; Field Crops, book review, 128; forage crops in New Jersey, 123; Fruit Crops, book review, 129; pears at New York City market, 567; peas in Michigan, 478; small grains in Georgia 986, in New Jersey 117; sunflower in Uruguay, 885; temperate climate crops in Bolivia, 646
Distribution, of Dutch elm disease in North America, 634; oak wilt in West Virginia, 365
Dithane D-14, 166, 285, 416, 417, 433, 822, plus zinc sulfate 457
Dithane Z-78, 416, 457, 657
Ditylenchus, 25, 187, 403, 526; in Israel, 92
Dn #2, 289
DNBP, 424
Dogwood, see Cornus
Dorylaimus sp(p.), 1020, in Israel 92
Dothidella trifolii, 926
--- ulei, 57
Dow 9B, 107
Dowfume MC-2, 355
Dowfume W-40, 417
Dowfume W-85, 30
Dowicide A-M245, 285, 461
Downy mildew, of alfalfa, 647; broccoli, 780; cucumber, 452; grape, 648; Helianthus, 885; lettuce, 455; lima bean, 7, 156, 223; onion, 3, 648; pea, 479; pepper, 648; watermelon, 620; wheat, 45
DuPont Liquid 365, 317
Dutch elm disease, of Ulmus spp., 634
Dwarf bunt, of Arrhenatherum elatius, 983; Elymus spp., 983; wheat, 916
Dyrene, 755, 789, 880

Early blight, of celery, 793; potato, 135; tomato, 657, 890
East Africa, 930
Echinochloa crusgalli: Striga sp., 379
--- frumentacea: Striga sp., 379
Eggplant: Aphelenchus spp., 92; Pratylenchus spp., 93
Egypt, 605, 1011
Elaeagnus angustifolia: Verticillium wilt, 1st rept. on this host (Kansas), 1053
Electron microscope, important aid in determining virus relationships, 250
Eleusine sp.: Striga sp., 379
Elgetol, 289
Elsinoë batatas, 1054
--- fawcetti, 77

Elsinoë lepagei, 540
--- veneta, 766
Elymus spp.: dwarf bunt, 983
--- glaucus: dwarf bunt, 1st rept. on this host (Pacific Northwest), 983
--- riparius: Urocystis agropyri, 370
--- triticoides: dwarf bunt, 1st rept. on this host (Oregon), 983
--- virginicus var. glabriflorus; Radopholus gracilis, dry subhumid environment of Texas, 599
Emmi, 561
Endoconidiophora, see Ceratocystis
Endomyces sp., 75
Endomycin, 433, 438, 453, 454, 709, 781
Endothia parasitica, 359
England, 368
Entomosporium maculatum, 644
Epicoccum granulatum, 761
Epidemics, of powdery mildews in Arkansas in 1956, 330
Epiphytotic, of stripe rust of wheat in Texas, 955
Eremochloa ophiuroides; nematodes, 705
Erigeron annuus: Plasmopara halstedii, 370; Sclerotinia sclerotiorum, 370
Erwinia sp., on corn, 798
--- amylovora, 19, 301
--- aroideae, 61, 801
--- atroseptica, 148
--- carotovora, 148
--- dissolvens, 504, 798
Erysiphe cichoracearum, 647, 648, 885
--- graminis, 330
--- --- avenae, 46, 330, 842, 986
--- --- hordei, 117, 987
--- --- secalis, 870, 987
--- --- tritici, 117, 845, 867, 987
--- polygoni, 123, 479, 648, 694
Etamycin, 781
Ethyl alcohol, 260
Ethyl N-PC, 439
Ethylene dibromide, 27, 355, 416
Eugenia aromatica: "slow decline", 62
Euphorbia dentata: Sclerotinia wilt, 72
Europe, 916, 1037
Eutettix tenellus, 87
Exidia glandulosa, 896
Exobasidium vexans, 57
Exp. fungicide #8, 1047
Eye spot, of Phleum pratense, 123
Fabraea maculata, 644, 1052
Fairy ring, on golf greens and other turf, 344
Feralum, 103
Ferbam, 77, 78, 294
Fermate, 289, 294, 457, 767, 789, 880, plus Agristrep 457
Ferric iron sulfate, 1029
Festuca (sp(p.): Fusarium patch, 344; Helminthosporium blight, 205
--- idahoensis: dwarf bunt, 1st rept. on this host (Oregon), 983
--- rubra: Helminthosporium blight, 207
Ficus nitida: Criconemoides sp., 92; Rotylenchus spp., 93
Field crops, tolerant to V-C 13 Nemacide, 200
Fig: Ditylenchus spp., 92; Hoplolaimus sp., 92; Pratylenchus minyus, 92; Pratylenchus scribneri, 93; Rotylenchus spp., 93; Trichodorus (?primitivus), 93; Tylenchorhynchus spp., 93; Tylenchus (?costatus), 93; Xiphinema sp., 94
Filipin, 160, 453, 454, 561, 781
Filters, for nematode surveys, 192
Fire blight, of pear, 19
Flag smut, of wheat, 558
Flavimacula ipomoeae, 930
Flax: anthracnose, 995; aster yellows (virus), 994: curly top (virus), 995; drought injury, 46; pasmo, 995; rust, 647, 995; seed rot, 317; seedling blights, 995; Stemphylium botryosum, 1st rept. on this host from Uruguay, 926
Florida, 33, 77, 89, 109, 116, 143, 177, 187, 190, 235, 267, 269, 389, 455, 494, 525, 537, 540, 600, 640, 755, 772, 789, 795, 804, 832, 842, 854, 856, 871, 878, 911, 930, 964, 965, 971, 1037
Fomes annosus, 895
--- applanatus, 895
--- lamaoensis, 57, 59
--- lignosus, 57, 58
--- officinalis, 895
--- pini, 895
--- pinicola, 895
--- roseus, 895
--- subroseus, 895
Foot rot, of wheat, 117
Forage crop diseases, in New Jersey, 123
Forecasting, of late blight of potato in Aroostook, County, Maine, 936
Forecasting plant diseases, advantages of 5-day weather unit, 223

Formaldehyde, 259, 416
Fradicin (alkaline), 438
Fragaria chiloensis: powdery mildew, resistance to, 24; red-stele, resistance to, 24; Verticillium wilt, resistance to, 24; virus diseases, resistance to, 24
Frogeye, of tobacco, 61
Fruit trees: Dorylaimus spp., 92
Fuclasin Ultra, 561
Fumago sp., 1052
Fumigation and heat treatment, effect of, on root knot nematodes and black root rot of strawberries, 825
Fungi, isolated from roots and crowns of pear trees, 74
Fungichromin, 438, 781
Fungicide 275 (PCNB), 433
Fungicides, for control of anthracnose of blackberry 766, apple scab 294, downy mildew of broccoli 780; effect on gray mold and leaf-spot and on chemical composition of strawberry plant tissues 755, on tomato yields in Louisiana 657; inhibitory effect on Phyllosticta coffeicola, 561; mixed with covering-soil as a control for cotton seedling-disease complex, 165; mixed with soil at planting as control for seedling-disease complex, 166
Fusarium spp., 105, 123, 165, 338, 419, 474, 506, 995; on broad bean, 648; Coronilla varia, 925
--- acuminatum, 75
--- black rot, of geranium, 536
--- chlamydosporum, 419
--- culmorum, 160
--- equiseti, 75
--- glauca, 945
--- graminearum, 506
--- martii var. phaseoli, 432
--- merismoides, 75
--- moniliforme, 60, 419, 501, 861, 989
--- nivale, 344, 346
--- oxysporum, 75, 484, 885, 943
--- --- f. batatas, 54
--- --- f. gladioli, 47
--- --- f. lycopersici, 182, 778
--- --- var. nicotianae, 27
--- --- f. perniciosum, 52, 641
--- --- f. pisi r. 2, 479
--- --- f. raphani, 779
--- --- var. redolens, 75
--- patch in golf greens, 344
--- poae, 370
--- roseum, 151, 943
--- --- f. cerealis, 111
--- seed piece decay of potato, 151
--- solani, 75
--- solani f. martii, 432
--- --- f. phaseoli, 483
--- --- f. pisi, 478
--- vasinfectum, 125, 126
--- wilt, of Albizzia julibrissin, 51; cotton, 182
--- --- and root-knot nematode of tobacco controlled with soil fumigants, 27
Fusicladium sp., on Cornus nuttallii, 810

Galla australiensis, 53
Gallotox, 420
Ganoderma pseudoferreum, 57, 58, 59
Georgia, 116, 125, 187, 190, 547, 703, 854, 930, 971, 986, 1037
Geotrichum sp., 350
Geranium: Fusarium black rot, 536; Meloidogyne hapla, 770
Germany, 91
Gibberella fujikuroi, 60, 501, 506, 861
--- saubinetti, 870
--- zeae, 117, 501, 506, 699, 870
Gibberellin, effect on plant disease, 890
Gladiolus: white break (cucumber mosaic virus), 141
Gliocladium roseum, 943
Gloeocercospora sp., 344
Gloeoporus conchoides, 895
Gloeosporium sp., 339, 371
--- apocryptum, 1051, 1052
--- quercinum, 1052
--- ulmicolum, 1052
Gloeotinia temulenta, 34
Glomerella cingulata, 371, 925
--- gossypii, 125
Glume blotch, of wheat, 647, 987
Glyceria striata: Epichloë typhina, 370
Glycerin, 99
Glyodin, 294
Glyodin-ferbam, 1029
Gnaphalium obtusifolium: Puccinia investita, 370
Gnomonia caryae, 1052
Gnomonia fructicola, 943
--- ulmea, 1052
--- veneta, 1052
Gomphrena globosa: ringspot (virus), 1005
Gramicidin, 453, 454
Gramicidin S, 438
Gramineae: anthracnose on turf, 346; copper spot on golf greens, 344; Dorylaimus spp., 92;

(Gramineae) fairy ring, 344; hoja blanca, 911; host range of two strains of the cereal yellow-dwarf virus, 730; morphology and size of particles present in mosaic diseased plants, 250; nematodes, 187, 705; red thread on golf greens, 344; red thread on turf, 346; tolerant to V-C 13 Nemacide, 199; turf diseases in western Washington, 344
Granadin, 317, 319
Grandinia farinacea, 895
Granville wilt, of tobacco, see bacterial wilt
Grape, see also Vitis
Grape: crown gall, 649; downy mildew, 648; leaf spot, 649; powdery mildew, 330, 648
Graphiola leaf spot, of Phoenix dactylifera, 1026
--- phoenicis, 1026
Gray leaf spot, of Lupinus angustifolius, 1037; Stenotaphrum secundatum, 871; tomato 878
Gray mold, of strawberry, 755; tomato, 878
Great Plains, 892
Green manure crops: red root, 58
Griseofulvin, 301, 453, 534, 781, 1033
Guayava: Tylenchus (?costatus), 93
Guignardia aesculi, 1051
--- vaccinii, 564
Gylodin, 1029
Gymnosporangium globosum, 1051, 1052
--- juniperi-virginianae, 293, 1051

HE 177, 325, 327
Head drop, of Helianthus, 885
Head rot, of Helianthus, 885
Hedychium coronarium: Radopholus similis, 832
Helianthus: Alternaria sp., 339; black root rot (Sclerotium bataticola), 1st rept. from Uruguay, 885; blight (?virus), 647; bud blight (cause unknown), 1st rept. on this host from Uruguay, 885; Cylindrocarpon radicicola, 339; downy mildew (Plasmopara halstedii), 1st rept. on this host in Uruguay, 885; Fusarium oxysporum, 339; Gloeosporium sp., 339; head drop (cause unknown), 1st rept. from Uruguay, 885; head rot, 885; leaf mottle (Verticillium albo-atrum), 1st rept. on this host in Uruguay, 885; leaf mottle or Verticillium wilt, 337; leaf spot (Itersonilia perplexans), 1st rept. on this host from Uruguay, 885; mosaic (virus), 1st rept. on this host from Uruguay, 885; Mucor sp., 339; peste negra (cause undet.), 885; powdery mildew, 647; powdery mildew 1st rept. on this host from Uruguay, 885; root rot and wilt, 885; rust, 647, 885; white rust, 647, 885; wilt and root rot (Fusarium oxysporum), 1st rept. on this host in Uruguay, 885
Helicoceras oryzae, 105
Helicotylenchus, 187, 525, 703, 1021, in Israel 92
--- nannus, 182
Helminthosporium sp(p.), 46, 502, 506, 761
--- avenae, 109, 865, 986
--- carbonum, 504
--- cynodontis, new disease of Cynodon dactylon in Florida, 389
--- dictyoides, 205
--- gramineum, 870, 987
--- heveae, 57
--- maydis, 647, 796
--- oryzae, 105
--- papulosum, 761
--- sativum, 160, 865, 870, 986, 987
--- stenospilum, 389
--- teres, 46, 117, 987
--- tritici-repentis, 117, 870
--- turcicum, 699, 796
--- vagans, 205
--- victoriae, 865, 986
--- vignae, 696
--- vignicola, 697
Helopeltis, 57
Hemicycliophora, 187, 403, 525, on rough lemon 1016
Hemicycliophora (? typica), in Israel, 92
Hemileia vastatrix, 58
Heptachlor, 150
Heptachlor - HCB, 319
Heptachlor - Mercury SP, 319
Herpobasidium deformans, 370
Heterodera glycines, 33, 201, 923
--- marioni, 182
--- schachtii, 201
Heterosporium phlei, 123
Hevea brasiliensis: "bird's eye spot, 57; black stripe, or thread and canker of, 57; brown root, 57; die-back, 57; Dothidella ulei, 57; leaf fall,

(Hevea) 55; leaf spot, 57; mouldy rot, pink disease, 57; red root, 57, 58; stinking root, 57; white root, 57
Hexachlorobenzene, 303, 558, 916
Hoja blanca (? virus), of rice and grasses, 911
Holland, 91
Hoplolaimus, 25, 187, 525, 526, 703, 705, in Israel 92
--- coronatus, 772
Host list, of Radopholus similis, additions to, 33
Host range, of two strains of cereal yellow-dwarf virus, 730
Host range studies, of Pseudomonas lachrymans, 139
Hungary, 925
Hydnum erinaceus, 895
Hydrangea, virus free, from tip cuttings of heat-treated ringspot-affected stock plants, 1005
--- macrophylla: Rhizoctonia solani, 370
Hygrometer, for microclimate measurements, 897
Hypocrea citrina, 896
Hypoxylon sp., 896
--- coccineum, 896
--- cohaerens, 896
--- mediterraneum, 760, 761

Idaho, 116, 201, 491, 558, 589, 854, 976
Ilex crenata var. convexa: Helicotylenchus spp., Meloidogyne spp., Pratylenchus spp., control with V-C 13 Nemacide, 271
Illinois, 116, 190, 257, 308, 501,541, 612, 635, 636, 806, 854, 904, 964, 971, 1039
Ilotycin, 433
India, 377
Indiana, 116, 612, 854, 964, 971, 975
Indigofera hirsuta: potato virus Y, 145; tobacco etch virus, 145
Indoleacetic acid, 919
Indonesia, 55, 377
Industrial plants: Dorylaimus spp., 92
Iowa, 116, 392, 612, 964, 971
Iris spp.: anthracnose, 904
--- germanica: tobacco ringspot virus, 524
Isariopsis clavispora, see Mycosphaerella personata
Isopropyl N-chloro-PC, 439
Isopropyl N-(3-chlorophenyl)-C, 439
Israel, 92
Italy, 368, 508, 915, 925
Itersonilia perplexans, 885

Japan, 384, 599, 915, 916
Java, 55, 599
Juglans regia: bacterial blight, 1057; blackline, 1057; crown and collar rot, 1057; leaf scorch (non-par.), 1057; mushroom root rot, 1057
Juncus leseurii: Meloidogyne hapla, 1st rept. on this host (Calif.), 770
Juniperus: Phomopsis blight, 216
--- chinensis sargenti: Phytophthora cinnamomi in Oregon, 815
--- sabina tamariscifolia: Phytophthora cinnamomi in Oregon, 815
--- virginiana: Pratylenchus penetrans, 1058

Kale: Radopholus similis, 33
Kansas, 115, 116, 202, 241, 735, 854, 930, 959, 964, 971, 1052 1053
Karathane WD, 561
Keepsit, 285, 461
Kemate, 781
Kentucky, 95, 634, 836, 923, 971
Key, to physiologic races of Puccinia rubigo-vera f. sp. tritici, 508
Koeleria cristata: dwarf bunt, 1st rept. on this host (Oregon), 983
Korea, 915
"Kräuselkrankheit", disease of sugar beet, 722
"Kroepeck", see tobacco leaf curl
Kromad, 205, 216

Labronema, in Israel, 94
Lagenaria siceraria: Colletotrichum lagenarium, 370
--- siceraria: Pseudomonas lachrymans, 139
Lagerstroemia indica: powdery mildew, 330
Larix decidua: Phacidiopycnis pseudotsugae, 625
--- leptolepis: Phacidiopycnis pseudotsugae, 623
Late blight, of potato and tomato, see Phytophthora infestans
Lathyrus odoratus: veinal mosaic (virus), 928
Lavandula: Xiphinema americanum, 94
Lavatera assurgentiflora: yellow vein mosaic in Calif., 1006
Leaf blight, of Cocos nucifera, 61; corn, 507
Leaf blotch, of oats, 109, 986, of

(Leaf blotch) wheat, 987
Leaf curl, of peach, 289, 648
Leaf diseases, of trees in Illinois, 1051
Leaf fall, of Hevea brasiliensis, 55
Leaf mold, of tomato, 1058
Leaf mottle, of Helianthus, 337, 885
Leaf rust, of barley, 987
Leaf scorch, of Juglans regia, 1057; rye, 870
Leaf spot, of alfalfa, 123; corn, 647; grape, 649; Helianthus, 885; oats, 865; rubber, 57; strawberry, 681, 755; wheat, 117
--- --- and pod spot, of pea, 648
--- --- and stem canker, of Lotus corniculatus, 123
Legumes: Dorylaimus spp., 92
Lentinus lepideus, 895
--- tigrinus, 895
Lenzites sp., 895
--- berkeleyi, 895
--- betulina, 895
--- protracta, 895
--- saepiaria, 895
--- trabea, 895
Leptosphaeria, on Coronilla varia, 925
Lespedeza: powdery mildew, 330
Lettuce: Cercospora sp., 648; downy mildew, 455; mosaic (virus), 53; Radopholus similis, 33; Tylenchorhynchus maximus, 93; yellows (virus), 53
Ligustrum lucidum: Helicotylenchus spp., Meloidogyne spp., Pratylenchus spp., control with V-C 13 Nemacide, 271
Liliaceae: morphology and size of particles present in mosaic diseased plants, 250
Lilium longiflorum: tobacco ringspot virus, 524
Lima bean, see bean, lima
Lime, see Citrus
Lime sulfur, 289, 767
Linum usitatissimum: Septoria linicola, 370
Liquidambar styraciflua: stem canker, 808
Liquiphene, 216
Literature review: mosaic of sweetpotato and related virus diseases, 930
Lithium salts, 1033
Lolium perenne: blind seed disease control in Oregon, 34
Longidorus, 187, 526
Lonicera tatarica: Herpobasidium deformans, 370
Lophodermium filiforme, 650
Losses, caused by cotton diseases, 124; strawberry leaf spot in Arkansas severe, 681
Lotus corniculatus: leaf spot and stem canker, 123
Louisiana, 69, 105, 116, 125, 190, 547, 643, 657, 778, 814, 854, 935, 971, 1021
Luffa cylindrica: Pseudomonas lachrymans, 133
Lupinus angustifolius: gray leaf spot, 1037
Lycopersicon peruvianum: Meloidogyne hapla, 770
Lysimachia quadrifolia: Coleosporium campanulae, 370

Macrophoma sp., 1052
Macrophomina phaseoli, 371, 814, 943
Macrosiphum granarium, 730
--- solanifolii, 1001
Macrosteles divisus, 1001
--- fascifrons, 994
Magnamycin, 806
Magnolia: nematodes, 187
Maine, 635, 936, 1019
Malachite Green, 216
Malathion, 772
Malucidin, 301
Malva spp.: yellow vein mosaic (virus), 1st rept. from Calif. 1006
--- parviflora x Petunia hybrida: curly top (virus), 723
Mammillaria sp(p.): Discolaimus sp., 92; Rotylenchus spp., 93; Tylenchorhynchus spp., 93; Tylenchus davainii, 93
Maneb, 99, 136, 150, 151, 156, 325, 327, 465
Manganese Omadine, 303
Manganese sulfate, 806
Mango: Helicotylenchus sp., 92; Trichodorus (?primitivus), 93; Tylenchorhynchus spp., 93; Tylenchus (?costatus), 93; Xiphinema sp., 94; Xiphinema americanum, 94
Manitoba, 317, 337, 971
Manzate, 151, 457, 561, 659, 781, 789, 822, 880
Manzate plus Agristrep, 457
Maps: Dutch elm distribution in North America in 1956, 634; oak wilt distribution in West Virginia, 365
Marasmius oreades, 344
--- perniciosus, 58
Maravalia elata, 648
Mariana Islands, 1055

Marmor cucumeris, 53, 144
--- efficiens, 928
--- erodens, 143
--- iners, 928
--- lactucae, 53
--- lineopictum, 11
--- medicaginis, 144, 928
--- repens, 928
--- sacchari, 60
--- tabaci, 61, 143
--- terrestre, 986
--- trifolii, 928
--- upsilon, 144
Marssonina juglandis, 1052
--- quercina, 1052
Maryland, 7, 27, 47, 95, 182, 190, 225, 256, 348, 354, 398, 415, 436, 524, 553, 634, 661, 691, 845, 992, 1005
Massachusetts, 190, 279, 635, 674
Mastigosporium album, on Alopecurus pratensis, 949
Mathieson 363, 420
MC-2, 1023
Melampsora larici-populina, 649
--- lini, 647, 995
--- medusae, 649
Melanconium sp., 75
--- fuligineum, 760, 761
Melilotus: crown rot (undet.), 647
Meloidodera floridensis, 270, 603
Meloidogyne sp(p.), 27, 125, 126, 187, 270, 526, 605, 703, 752; on beet, 648; in Bolivia, 648; on carrot, 648; red raspberry, 1019; tobacco, 177; tomato, 648; turnip, 648
--- hapla, 182, 825; new host records, 770
--- incognita var. acrita, 27, 180, 182
--- javanica, 180, 1016
Melon: Septoria cucurbitacearum, 648
Melothria pendula: Pseudomonas lachrymans, 133
Melting out, of Poa pratensis, 205
Mema, 107, 977
Mema 4 NF, 320
Mema-Aldrin, 319
Mema-Lindane, 320
Mema M N, 992
Mema-sol, 977
Mema Soluble Powder (Memasol), 320
Mentha piperita: Sclerotium wilt, 1st rept. on this genus (Washington), 493; Verticillium wilt, 493
Merbam, 216, 420
Merculine 100, 977
Mercuric chloride, 416
Merdrin SW, 321
Mer-sol, 977
Merulius lacrymans, 895
Metasol M, 977, 992
Methods, of collecting rust urediospores in the field, 973; of testing lines of corn for disease resistance, 699
Methyl bromide, 355, 415, 417
Mexico, 42, 971
Michigan, 116, 190, 447, 478, 612, 635, 691, 854, 964, 971, 1029
Microclimate measurements, electrical hygrometer for, 897
Micronesia, 1055
Micronized 4-100, 289
Micronized sulfur, 289
Micro-ring, of carrot, see scab
Microsphaera alni, 1052
Mikania batatifolia: Tylenchulus semipenetrans, 525
Mimosa, see Albizzia
Minnesota, 10, 116, 505, 512, 612, 699, 854, 971, 994
(?)Miranema, in Israel, 94
Mississippi, 116, 125, 705, 808, 854, 923, 930, 971
Missouri, 116, 125, 201, 398, 419, 545, 635, 707, 854, 876, 902, 923, 971
Momordica balsamia: Pseudomonas lachrymans, 139
--- charantia: Pseudomonas lachrymans, 139
Monilia spp., 761
Monilinia fructicola, 284, 553, 648
Mononchus, in Israel, 94
Montana, 514, 517, 976
MOPA, 528
"Mope" disease, of Cinchona spp., 59
Morpholine sulfanilate, 216
Mortierella sp., 75
Mouldy rot, of rubber, 57
Mucor sp., 75, 339, 506
Musa nana: Radopholus similis, 832
Mushroom root rot, of Juglans regia, 1057
Mycelia sterilia, 75, 105
Myceliophthora sp., 350
Mycogone perniciosa, 350
Mycorrhizae, in field plots, effects of chemicals on, 354
Mycosphaerella, 752
--- fragariae, 649, 681, 755
--- linorum, 995
--- personata, 649
Mycostatin, 285, 438, 453, 454, 461, 781
Mylone, 1047

Myrothecium, on Coronilla varia, 925
Myzus persicae, 931, 1001, 1006

Nabam, 325, 326, 415, 419, 420, 421, 755, 1047
Nabam plus PCNB, 420, 421
Nabam plus zinc sulfate, 419, 420, 421, 755, 789
Nanus sacchari, 60
N-dodecylguanidine acetate (Cyprex), 1029
Near wilt, of pea, 479
Nebraska, 116, 488, 612, 671, 696, 892, 962, 971, 992, 1058
Needle-cast, of Picea sitchensis, 650
Nemagon, 355, 706, 772, 825, 1023
Nematocides: PRD and ORD, 772
Nematodes (see also under genera): controlled vacuum apparatus for pipetting, 89; in Florida, 525; free-living-plant parasitic and possible plant-parasitic, 1st record in Israel, 92; improved test for, in soil, 531; method for quick separation from soil samples, 194; new and permanent method for mounting, 25; on peaches in New Jersey, 526; screening Mississippi soils for, 705; in soil and root samples from declining plants, 187; in soils of small grain fields, 703
--- surveys: cheap, disposable filters for, 192
Neofabraea, 567
Neomycin, 17, 453, 806
--- sulfate, 674, 781
Net blotch, of barley, 117, 987
New disease: Helminthosporium cynodontis on Cynodon dactylon in Florida, 389; vein yellowing (virus), of citrus in California, 741
New distribution: angular leafspot of tobacco in Florida, 804; bakanae of rice in United States (Texas), 860; black root rot of Helianthus in Uruguay, 885; Cephalosporium leaf stripe of wheat in New York, 384; Cercospora leaf spot of cucumber in North Carolina, 794; Corynespora cassiicola on soybean in Nebraska, 696; downy mildew of Helianthus in Uruguay, 885; dwarf bunt of Agropyron repens in North America (Oregon), 983; head drop of Helianthus in Uruguay, 885; leaf mottle on Helianthus in Uruguay, 885; leaf spot of Helianthus in Uruguay, 885; Mastigosporium album on Alopecurus pratensis in Nova Scotia, 949; needle cast of Picea sitchensis, in Oregon, 650; petal blight on Camelliae japonica in Texas, 547; powdery mildew of Helianthus in Uruguay, 885; Radopholus gracilis on Sparganium greenei in California, 1st rept. on this host and 1st rept. in the U. S., 91; Radopholus similis on banana in Louisiana, 814; Rathay's disease, 1st rept. from Virginia, 598; Sclerotinia stem rot on tomato in Louisiana, 643; Stemphylium botryosum on flax in Uruguay, 926; Stemphylium sarcinaeforme on Trifolium pratense in Uruguay, 926; Striga asiatica, in corn fields and on crabgrass in South Carolina, 133; stripe rust of wheat in Oklahoma, 958; white rot of onion in New York, 814; wilt and root rot of Helianthus in Uruguay, 885; yellow vein mosaic of Malva spp., in Calif., 1006
New Guinea, 60
New Hampshire, 190, 635
New hosts: anthracnose of celery in Florida, 790; Cercospora leaf spot on Abelia chinense in Illinois, 904; dwarf bunt on Agropyron spp. and Elymus spp. (Pacific Northwest), Festuca idahoensis and Koeleria cristata (Oregon), 983; Elsinoë lepagei, on Pouteria campechiana in Florida, 540; Entomosporium maculatum on Photinia glabra in Louisiana, 644; Erysiphe polygoni on Papaver nudicaule (Calif.), 694; Fusicladium sp. on Cornus nuttallii (Oregon), 810; Hemicycliophora sp. on Rough Lemon in California, 1016; of Macrophomina phaseoli in Peru, 814; Meloidogyne hapla in California, 770; Radopholus gracilis on Sparganium greenei in Calif., 91; Sclerotinia wilt of peppermint (Washington), 493; Verticillium wilt on Elaeagnus angustifolia (Kansas), 1053; Verticillium wilt on turnip,

(New hosts) (Kansas), 1053
New Improved Ceresan, 312
New Jersey, 7, 25, 117, 123, 190, 460, 524, 526, 576, 890
New Mexico, 116, 125, 312, 803, 1000
New Puradrin, 321
New South Wales, 394
New York, 11, 116, 187, 190, 289, 301, 384, 402, 491, 567, 635, 780, 814, 854, 897, 928, 971, 1036
New Zealand, 1037
Nicotiana spp.: black shank, tests of resistance to, 95
--- glauca: curly top (virus), 723
--- glutinosa: cucumber mosaic virus, 145; curly top (virus), 723
Nigrospora sp., 506
--- oryzae, 105, 502
--- sphaerica, 760, 761
No Bunt, 977
North Carolina, 33, 99, 116, 125, 188, 190, 359, 377, 547, 620, 794, 798, 854, 923, 939, 948
North Dakota, 116, 392, 612, 854, 971
Northern leaf blight, of corn, 699, 796
Nova Scotia, 79, 949
Nyasaland, 921

Oak wilt, see Ceratocystis fagacearum and under Quercus
Oats (see also Avena): Aphelenchus spp., 92; black stem, 986; blight, 46; crown rust, 117, 388, 647, 867, 964, 970, 986; culm damage, 865; culm rot, 986; Ditylenchus dipsaci, 92; leaf blotch, 986, new disease symptom, 109; leaf rust, 45, 986; leaf spot, 865; loose smut, 986; mosaic (virus), 986; maintenance of naturally infectious cultures of the soil-borne virus of oat mosaic, without the use of soil 254, soil-borne virus of, chemical control and overseasoning of, and natural inoculation with 256; nematodes found in soil, 703; powdery mildew, 46, 330, 842, 986; reaction to aritficial inoculations with Septoria avenae, 385; red leaf (unidentified) 117, (virus) 46, 986; seedling blight and smut, 317; smut, 46, 117, seed treatment 317; stem rust, 45, 388, 647; terminal bleach, 118; Tylenchorhynchus maximus, 93; Tylenchus spp., 94; Victoria blight, 986; wheat streak mosaic (virus), 591
Odontia crustosa, 895
--- spathulata, 895
Ohio, 111, 116, 369, 616, 854, 964, 971
Oidium sp., 369, 371, 1052
--- heveae, 55
--- tabaci, 61
Oklahoma, 45, 116, 125, 190, 209, 398, 766, 854, 958, 971
Okra: Radopholus similis, 33; virus disease symptoms, 726
Olea europaea: Macrophomina phaseoli, 1st rept. on this host in Peru, 814
Oligomycin, 561
Olive tree, see Olea europaea
O. M. 1456, 294, 438
O. M. 1484, 438
O. M. 1562, 438
O. M. 1563, 294
O. M. 1564, 294, 438
Omadine, 205
Omadine 1565, 289
Omadine OM 1456, 301
Omadine OM 1563, 301
Omadine OM 1565, 293
Omadine-copper salt, 1029
Omadine-manganese salt, 1029
Omadine salts, 1045
Omadine-zinc salt, 880, 1029
Onion: dieback, 789; downy mildew, 3, 648; Meloidogyne hapla, 770; purple blotch, 789; Sclerotium cepivorum, 648; white rot, 1st rept. on this host in New York, 814
O-nitrochlorobenzene, 420, 421
Onoclea sensibilis: Uredinopsis mirabilis, 370
Ontario, 1032
Oospora lactis f. parasitica, 474
Ophiobolus, on Coronilla varia, 925
Opuntia depauperata: Tylenchorhynus spp., 93; Xiphinema sp., 94
Orbicula spadicea, 896
ORD, 772
Oregon, 23, 34, 83, 137, 141, 151, 201, 211, 558, 567, 810, 815, 893, 976, 1057
Ornamentals: Dorylaimus spp., 92; nematodes, 705; tolerant to V-C 13 Nemacide, 195
Ortho Seed Guard, 468, 992
Orthocide, 457, 561, 992
Orthocide 50, 151
Orthocide 50W, 457, 789
Orthocide 75, 107, 468
Orthocide 406, 416, 417

Orthocide plus Agristrep, 457
Ottasept, 150
Oxicob, 561

Pachysandra terminalis: Volutella pachysandricola, 370
Pacific Northwest, 569, 916
Paeonia: leaf curl (virus), transmitted by grafting, not by sap inoculation, 691; Verticillium wilt, 1053
Panagrellus sp., 527
Panagrolaimus sp., 255, in Israel, 94
Panicum clandestinum: Balansia strangulans, 370
--- miliaceum: Panicum mosaic virus, 249
--- virgatum: Panicum mosaic virus (a new virus disease), 241
Panogen, 324, 327
Panogen 15, 107, 303, 312, 321, 420, 421, 468, 558, 977, 992
Panogen 42, 977
Panogen 221, 1047
Panoram 75, 992
Panoram D-31, 992
Panus stipticus, 895
Papa-lisa, see Ullucus
Papaver nudicaule: Erysiphe polygoni, 1st rept. on this host (Calif.), 694
Papaya: Helicotylenchus sp., 92; Xiphinema americanum, 94
Papulaspora byssina, 350
Paradoxurus hermaphroditus (small ground squirrel-like animals) serious pests of cacao fruits in Java, 58
Paratylenchus sp(p.), 187, 403, 404, 705, in Israel, 92, on bean 1019
Parzate, 789, 790, 880
Parzate-copper-Agrimycin, 880
Parzate-Fermate, 880
Parzate Liquid, 417
Parzate-Phygon, 880
Parzate plus Agristrep, 457
Parzate-Thylate, 880
Parzate-zinc sulfate, 880
Pasmo, of flax, 995
Paspalum dilatatum: Striga sp., 381
--- notatum: Radopholus similis, 33
Patulin, 160, 453, 454
Paurodontus sp., in Israel, 92
Paxillus panuoides, 895
PCNB, 166, 325, 326, 420, 421, 424, 457, 1045
PCNB plus Agristrep, 457
PCNB plus captan, 420
PCNB plus Merbam, 420
PCNB plus nabam, 419

Pea: Ascochyta blight, 479; bacterial blight, 479; downy mildew, 479; frost injury, 480; leaf and pod spot, 648; near wilt, 479; Phyllosticta ferax, 648; powdery mildew, 479; Pratylenchus spp., 1019; Radopholus similis, 33; root diseases in Michigan, 478; rust, 648; Sclerotinia wilt, 479; veinal mosaic (virus), 928
Peach: Aphelenchoides spp., 92; brown rot 648, chemical dips for control 284, Omadine OM 1563 for control 289; Coryneum carpophilum, 648; crown gall, 648; leaf curl, 648, Omadine 1565 for control 289; nematodes in New Jersey, 526, in New York orchards 402; powdery mildew, 648; rust, 648; Trichodorus (?primitivus), 93; Tylenchorhynchus spp., 93; Tylenchus (?costatus), 93; Xiphinema sp., 94; Xiphinema americanum, 94
---, Shalil: Radopholus sp., 93
---, Yunnan: Pratylenchus spp., 93
Peanut: Aphelenchus spp., 92; Helicotylenchus sp., 92; Meloidogyne hapla, 770; Paurodontus sp., 92; Rotylenchus spp., 93; stem rot, weed control methods affect incidence of, also crop yield, 424; Trichodorus (?primitivus), 93; Tylenchorhynchus magnicauda, 93; Tylenchus davainii, 93
Pear: blossom blight, Omadine OM 1456 and OM 1563 for control, 301; blue mold, 567; bull's-eye, 567; crown gall, 74; fire blight, control by different streptomycin formulations, 19; fungi isolated from roots and crowns, 74; gray mold, 567; quick decline in Pacific Northwest, 569; scald, 567; slow decline in Pacific Northwest, 569
Pecan, see Carya illinoensis
Pelargonium spp.: virus diseases in the Pacific Northwest, 83
Pellicularia filamentosa, on bean, 533
Penicillium sp(p.), 75, 506, 558, 567
--- brevicaule, 896

--- digitatum, 564
--- expansum, 75, 761
--- funiculosum, 564
--- glaucum, 896
--- italicum, 564
--- notatum, 75
Peniophora gigantea, 896
--- pubera, 896
Pennisetum clandestinum: Aphelenchoides spp., Criconemoides sp., Ditylenchus spp., Helicotylenchus sp., Hemicycliophora (? typica), Paurodontus, 92; Pratylenchus spp., Rotylenchus spp., Triplonchium sp., Tylenchorhynchus spp., Tylenchus (?costatus), T. davainii, 93; Xiphinema sp., X. americanum, 94
Pennsylvania, 116, 205, 534, 635, 925, 971
Penstemon sp.: Sclerotium rolfsii, 370
--- digitalis: Septoria pentstemonis, 370
Pepper, see also Piper; alfalfa mosaic (virus), 143; Aphelenchus spp., 92; aster ringspot virus, 145; Colletotrichum leaf spot, 648; cucumber mosaic virus, 145; Discolaimus sp., 92; downy mildew, 648; Meloidogyne hapla, 770; Paurodontus sp., 92; potato virus Y, 145; Pratylenchus spp., 93; Radopholus similis, 33; rust, 648; tobacco etch virus, 144; tobacco mosaic virus, 145; tomato spotted wilt (virus), 143; Tylenchorhynchus spp., 93; "yellow disease", 62
Pepper, chile: big bud (virus), 53; curly top (virus), 53; mosaic (virus), 53; Phytophthora fruit rot, 53; virus (unknown), 53
Pepper spot, of Ladino clover, 123; Trifolium pratense, 123
Peracetic acid, 285, 461
Peronospora destructor, 648, formation of oospores and their possible relation to epiphytology, 3
--- parasitica, 369, 780, on radish 1058
--- pisi, 479
--- tabacina, 99, 465, 940
--- trifoliorum, 647
Peru, 814
Pestalotia sp. (Pestalozzia), 75
--- palmarum, 57, 61
--- vaccinii, 564
Peste negra, of Helianthus, 885
Petal blight, of Camellia japonica, 547
Petunia hybrida: Sclerotinia sclerotiorum, 370
Phacidiella coniferarum, 623
Phacidiopycnis pseudotsugae, 623
Phaeocytosporella zeae, 502
Phaseolus lunatus: Pseudomonas lachrymans, 140
Philippine Islands, 61
Phix, 561
Phleospora aceris, 1051
Phleum pratense: eye spot, 123; stripe smut, 123
Phoenix dactylifera: varietal differences in tolerance of Graphiola leaf spot, 1026
Pholiota adiposa, 895
--- aeruginosa, 895
Phoma spp., 75, 105, on Coronilla varia, 925
--- betae, 160
--- destructiva, 657
--- lingam, 303
--- pomi, 761
Phomopsis sp., 560
--- juniperovora, 216
--- pseudotsugae, 623
--- viticola, 822
Photinia arbutifolia: Entomosporium maculatum, 644
--- glabra: Entomosporium maculatum, 1st rept. on this host (Louisiana), 644
Phygon, 468, 757, 789, 992
Phygon-copper-Dyrene-Agrimycin, 880
Phygon-Dyrene, 880
Phygon-XL, 107, 151, 880
Phyllachora maydis, 647
Phyllactinia corylea, 1052, 1058
Phyllosticta sp., 1052
--- coffeicola, 560
--- ferax, 648
--- fraxinicola, 1051
Phymatotrichum omivorum, 54, 125, 126
Physalis angulata: potato virus Y, 143; tobacco etch virus, 143
--- elliottii: tobacco mosaic virus, 145
Physalospora tucumanensis, 60
Phytomycin, 149, 150, 301, 461, 781
Phytophthora spp., 75, 405, on Eugenia aromatica, 62
--- capsici, 53, 474, 648
--- cinnamomi, 678, 815
--- citrophthora, 405
--- drechsleri, 474

Phytophthora fragariae, 24, 415, 752
--- fruit rot, of chile pepper, 53
--- infestans, 223, 612, 616, 657, 890, 936
--- lateralis, 211
--- palmivora, 57, 58, 59, 61
--- parasitica, 405
--- parasitica var. nicotianae, 61, 177, tests of resistance to, made on 51 species of Nicotiana and 13 interspecific hybrids, 95
--- phaseoli, 7, 156, 223
--- syringae, 413
Picea abies: Phacidiopycnis pseudotsugae, 623
--- glauca: Phacidiopycnis pseudotsugae, 623
--- pungens: Phacidiopycnis pseudotsugae, 623
--- sitchensis: needle cast (Lophodermium filiforme), 1st rept. from Pacific Northwest (Oregon), 650
Piesma quadrata, 722
"Pineapple" disease, see "black rot"
Pink disease, of Cinchona spp., 59; Coffea spp., 59; Hevea brasiliensis, 57; of tea, 57
Pinus sp(p.): Aphelenchus spp., 1019; cold injury to, 495; nematodes, 187
--- caribaea: effects of biocides on seedlings, and incidence of mycorrhizae, 354
--- elliotii: cold injury, 495; Meloidodera floridensis, 603
--- lambertiana: white pine blister rust, 709
--- monticola: white pine blister rust, Acti-dione treatment for, 709
--- strobus: Phacidiopycnis pseudotsugae, 623
--- taeda: effect of soil fumigation for the control of parasitic nematodes on the growth and yield of seedlings, 1021
--- virginiana: effects of biocides on seedlings, and incidence of mycorrhizae, 354
Piper nigrum: yellows disease (Radopholus similis) on island of Banka, 267
Piricularia grisea, 871
--- oryzae, 915, an explosion inoculation technique, 225
Pitch-girdle canker, of Pseudotsuga menziesii, 811
Plant diseases: effect of gibberellin on, 890; in New Mexico, 53
Plantago rugelii: Rhizoctonia solani, 370
Planter, for small experimental plots, 227
Plants, tolerant to V-C 13 Namacide, 195
Plasmodiophora brassicae, 1033
Plasmopara halstedii, 370, 885
--- viticola, 648
Platanus: nematodes, 187
Pleocidin, 438, 781
Pleospora sp., 474
--- herbarum, 123, 925
Pleurotus ostreatus, 895
--- ulmarius, 895
Plum: Coryneum blight, 648; rust, 648
PMA plus Heptachlor, 977
Poa sp(p.), Fusarium patch, 344; powdery mildew, 330
--- pratensis: melting-out, 205
Podophyllum peltatum: Septogloeum podophyllinum, 370
Podosphaera leucotricha, 293
--- oxyacanthae, 1051
"Pokkah boeng", of Saccharum spp., 60
Polycycline, 791
Polymixin, 453, 454
Polyporaceae, 75
Polyporus abietinus, 895
--- adustus, 895
--- alboluteus, 895
--- anceps, 895
--- gilvus, 895
--- guttulatus, 895
--- hirsutus, 895
--- pargamenus, 895
--- sanguineus, 895
--- spraguei, 895
--- sulphureus, 895
--- versicolor, 895
--- zonatus, 895
Populus spp.: Melampsora laricipopulina, 649; Melampsora medusae, 649; nematodes, 187
--- deltoides: Cytospora canker, 892
Poria sp., 895
--- ambigua, 895
--- carbonica, 895
--- crassa, 895
--- crustulina, 895
--- ferruginosa, 896
--- incrassata, 896
--- monticola, 896
--- oleracea, 896
--- rufa, 896
--- sinuascens, 896
--- sinuosa, 896

(Poria) subacida, 896
--- vaillantii, 896
--- versipora, 896
--- xantha, 896
Potassium gibberellate, effect on disease susceptibility, 890
Potato (see also Solanum): Aphelenchus spp., 92; bacterial ring rot, 155; bacterial seed piece decay, in South Carolina, 148; blue spotting in British Columbia, 608; early blight, field inoculation, 135; Fungicide 658, 658; Fusarium seed piece decay, 151; late blight, 223, forecasting in Maine 936, relation of rainfall and temperature to, 616; Pratylenchus spp., 93; Pythium seed piece decay, 151; response of, to monozoospore lines of Phytophthora infestans, 612; Sclerotinia wilt, 72; seed piece decay, tests to determine stability, fungicidal and bactericidal effectiveness, and phytotoxicity of antibiotic-organic fungicide mixtures used to treat seed pieces, 151; Tylenchorhynchus spp., 93; Tylenchus spp., 94; Xiphinema krugi, 94
Pouteria campechiana: Elsinoë lepagei, 1st rept. on this host (Florida), 540
Powdery mildew, of apple, 293, 330; barley, 117, 330, 987; bean, 330; bluegrass, 330; cowpea, 330; crape myrtle, 330; cucurbits, 330, 648; filbert, 1058; grape, 330, 648; Helianthus, 647, 885; Lespedeza, 330; lilac, 330; oats, 46, 330, 842, 986; orchard grass, 330; pea, 479; peach, 648; quinoa, 649; red clover, 123; Rosa spp., 209, 330; rye, 870, 987; snapdragon, 330; strawberry, 23, 330, 945; tobacco, 61; tomato, 648; Trifolium spp., 330; wheat, 117, 330, 845, 867, 987; zinnia, 330
Pratylenchus sp(p.), 25, 187, 403, 525, 526, 703, 705, 825, 1019; effect of aeration and temperature on emergence of species from corn roots 836; in Israel 93; on tobacco 177
--- brachyurus, in Israel, 92
--- coffeae, 753
--- minyus, in Israel, 92
--- penetrans, 402, 403, 404, 753, 838, on eastern red cedar 1058
--- scribneri, 838, in Israel 93
--- zeae, 134
PRD, 772
Propynyl N-PC, 439
Prunus: Discolaimus sp., Helicotylenchus sp., Hoplolaimus sp., 92; Pratylenchus scribneri, Radopholus sp., Trichodorus sp., Tylenchorhynchus spp., Tylenchus (?costatus), 93; Xiphinema sp., 94; Xiphinema americanum, 94
--- (Italian): Alternaria, Aspergillus, Botrytis, Cladosporium, Penicillium, Rhizopus and Stemphylium rots, 492; effect of bruising injury and storage temperature upon decay and discoloration of, 491
Pseudomonas alboprecipitans, 647
--- angulata, 804
--- apii, 793
--- caryophylli, 182
--- glycinea, 1039; effect of antibiotics on, 806
--- lachrymans, host range, overwintering and seed transmission of, 137
--- medicaginis, 876
--- pisi, 479
--- solanacearum, 61
--- tabaci, 99, 805, 939, 1039
--- tolaasii, 350
--- viburni, 371
Pseudoperonospora cubensis, 452, 620
Pseudopeziza sp., 926
--- medicaginis, 123, 647
Pseudoplea trifolii, 123
Pseudotsuga menziesii: Phacidiopycnis pseudotsugae, 623; pitch-girdle canker, 811
--- --- var. glauca: Phacidiopycnis pseudotsugae, 623
Psilenchus sp., in Israel, 93
Puccinia asparagi, 369
--- conoclinii, 369
--- coronata, 117, 388, 647, 986
--- --- var. avenae, 45, 867, 964, 970
--- flaveriae, 369
--- glumarum, 647, 955, 958
--- --- var. tritici, 45
--- graminis var. avenae, 45, 388, 647
--- --- var. secalis, 46, 987
--- --- var. tritici, 42, 442, 647, 848, 867, 973
--- helianthi, 647, 885
--- hordei, 46, 870, 987

(Puccinia) investita, 370
--- polysora, 856
--- purpurea, 647
--- recondita, (see also P. rubigo-vera), 870
--- --- var secale, 870
--- --- var. tritici, 867
--- rubigo-vera, 123
--- --- --- var. avenae, 986
--- --- --- var. secalis, 870, 987
--- --- --- var. tritici, 42
--- --- --- var. tritici, 115, 117, 508, 853, 867, 973, 987
--- sorghi, 303, 647, 856
--- stakmanii, 54
--- stenotaphri, found in Florida and Puerto Rico, 650; Darluca filum in Puerto Rico 547
--- striiformis, 955, 959
Puerto Rico, 547, 660, 884, 931
Pullularia pullans, 75
Puraseed, 977, 992
Puratized P1122, 294
Puratized Agricultural Spray, 169
Purple blotch, of onion, 789
Purple leaf spot, of Dactylis glomerata, 123
Pyrenochaeta terrestris, 503, 941, 943
Pyrenopeziza medicaginis, 123
Pyrenophora bromi, 123
Pyridinethione (NaSalt), 285, 461
Pyrus malus: Botryosphaeria ribis, 370
Pythium sp(p.), 61, 75, 105, 165, 324, 995
--- butleri, 504
--- debaryanum, 75, 419
--- dictyosporum, 75
--- graminicola, 988
--- megalacanthum, 75
--- pulchrum, 75
--- root rot, of Safflower, 160
--- seed piece decay, of potato, 151
--- splendens, 75
--- ultimum, 75, 419
--- vexans, 75
Quercus: nematodes, 187; oak wilt, Arrhenodes minuta may be a vector 707, control of mat production by girdling trees 362, oak flowers as infection courts 545, relation of precipitation to mat formation 948
--- brutia: oak wilt, 368
--- lusitanica: oak wilt, 368
Quince: Helicotylenchus sp., 92; Pratylenchus scribneri, Trichodorus (?primitivus), Tylenchorhynchus spp., Tylenchus (?costatus), 93; Xiphinema sp., 94
Quinoa: powdery mildew, 649

Races of crown rust attacking oat vars. Landhafer and Santa Fe, 964; physiological races of crown rust of oats 870, of leaf rust of wheat in United States 115, 853
Radish: Albugo candida, 648; Peronospora parasitica, 1058; Radopholus similis, 33; yellows, 779
Radopholus sp., in Israel, 93
--- gracilis, 599; on Sparganium greenei, 1st rept. in U. S. (Calif.) of this nematode, 91
--- oryzae, 91, 599
--- similis, 91, 267, 270, 600, 814, studies on the biology of, 832
Ramularia spp., 75
Raspberry, red: Meloidogyne sp., 1019; Pratylenchus spp., 1019
Rathay's disease, of Dactylis glomerata, 598
RE-3681, 977
Reaction (see also resistance and susceptibility), of flax varieties to curly top in Texas, 996; of oat varieties to crown rust 966, powdery mildew 843, Septoria avenae 385; pole beans to rust for the Tropics 884; rice varieties to hoja blanca in Cuba and Venezuela 913; of watermelon plant introductions and varieties to downy mildew in North Carolina 620; wheat varieties to stripe rust 956, 963
---, varietal, to Septoria disease of oats, method of inoculation and determining, 592
Red leaf, of oats, 117
Red root, of Coffea, 58; green manure crops, 58; Hevea brasiliensis, 57, 58; Thea sinensis, 58; Theobroma cacao, 58
Red rot, of sugarcane, 60
"Red rust", of Thea sinensis, 57
Red stele, of strawberry, 24, 415
Red thread, of turf, 344, 346
Resistance (see also reaction, susceptibility), to black shank within the genus Nicotiana, 95; gray leaf spot in blue lupines, 1037; of soybean varieties to Heterodera glycines as determined by a double-row planting method, 923; straw-

(Resistance) berry species, varieties and selections to powdery mildew, 23, 945; sweetpotato to black rot, testing for, 661; tomato to Meloidogyne javanica and M. incognita acrita, 180
Rhabditis sp., 527, in Israel 94
Rhizoctonia, 54, 61, 125, 126, 506, on Coronilla varia, 925
--- albida, 75
--- root rot, of bean, 484
--- solani, 59, 75, 105, 117, 160, 165, 324, 370, 419, 474, 941, 995, 1045
Rhizopus sp(p.), 125, 126, 328, 506, 558
--- nigricans, 474, 761
--- rot, of strawberry, 460
Rhode Island, 216
Rhododendron indicum: Septoria azaleae, 371
Rhopalosiphum fitchii, 730
--- prunifoliae, 249
Rhynchosporium orthosporum, 123, 369
--- secalis, 117, 371, 647, 870, 987, 1052
Rhytisma acerinum, 1052
Rice: bakanae disease, 1st rept. on this host in United States (Texas), 860; blast, 915; hoja blanca (white leaf), 1st rept. on this host in U. S. (Fla.), 911; seedling blight, 105; straighthead, 103; Striga sp., 377; stripe (Oryza virus 2), in Japan, 913
Ricinus communis: Macrophomina phaseoli, 1st rept. on this host in Peru, 814
Rimocidin, 561
Root diseases, of pea, 478
Root rot, of avocado, 678; bean, 432; Chamaecyparis lawsoniana, 211; corn, 505; cotton, 54; Helianthus, 885
Root and stem rot, of soybean, 696
Root-splitting disease, of Cinchona spp., 59; tea, 58
Rosa sp(p.): black spot, 209; crown gall, control with antibiotics, 449; powdery mildew, 209, 330, control of, 534
Rosaceae: Fabraea maculata, 644
Rosellinia arcuata, 58
--- bunodes, 58, 59
Rosemary: Tylenchus (?costatus), 93; Xiphinema sp., 94
Rots, of cranberry, fungicides applied by helicopter to bogs in Massachusetts, 278
Rotylenchus sp(p.), 187, 525, 703, 705, in Israel 93
Ruga tabaci, 61
--- verrucosans, 53
Rumania, 91
Rumex altissimus: Septoria rumicis, 371; Ustilago parlatorei, 371
Russia, 91, 925
Russian olive, see Elaeagnus angustifolia
Rust, see under the various genera and hosts
Rye: leaf rust, 870, 987; leaf scorch, 870; mosaic (virus), 255; nematodes found in soil, 703; powdery mildew, 870, 987; Radopholus similis, 33; stem rust, 987
Ryukyu Islands, 931

Saccharum sp(p) (see also sugarcane): bacterial wilt, 60; "black rot", 60; chlorotic streak (virus), 60; "Fiji" virus disease, 60; mosaic (virus), 60; "pokkah boeng", 60; "sereh" (virus), 60; yellow spot, 60
Safflower, see Carthamus
Saintpaulia ionantha: Oidium sp., 371
Salix spp.: Cytospora canker, 892
Sambucus simpsoni: mosaic (virus), 145
Sanocide, 558, 978
Sansevieria trifasciata: Gloeosporium sp. (probably Glomerella cingulata), 371
Sapodilla, see Achras
Saskatchewan, 481
Scab, of apple, 293, 649; Achras sapota, 540; barley, 870; carrot, 53; Citrus limon, 77; Pouteria campechiana, 540; sweetpotato, 1055; wheat, 117
Scald, of barley, 117, 647, 870, 987; Dactylis glomerata, 123; pear, 567
Schizophyllum commune, 895
Scindapsus aureus: Radopholus similis, 832
Scirpus americanus: Radopholus gracilis associated, 91
--- paludosus: Radopholus gracilis associated, 91
Sclerophthora macrospora, 45
Sclerotinia camelliae, 547
--- fructicola, 289
--- minor, 885
--- rolfsii, 885
--- sclerotiorum, 72, 369, 370, 479, 483, 493, 885, 1057
--- trifoliorum, 123

Sclerotium, 61
--- bataticola, 328, 501, 885
--- cepivorum, 648, 814
--- rolfsii, 369, 370, 424, 474
--- wilt, of Mentha piperita, 493
Scopulariopsis fimicola, 350
Secale cereale: Rhynchosporium secalis, 371
Seed grain, treatment with mercury compounds, study of health hazards, 512
Seed rot, of flax, 317
Seed treatment: of corn, comparison of captan and Arasan 857; of vegetables for improved emergence 468
--- --- tests, for the control of bunt of wheat in the Pacific Northwest 976, for 1956 summarized 317
Seedling blight, of corn, 505; flax, 995; rice, 105
--- --- and smut, of oats and wheat, 317
--- disease complex, of cotton, 165
--- diseases, of cotton 54, effect of fungicides on, in irrigated desert valley of California 324
Sepedonium sp., 351
Septobasidium spp., 57
Septogloeum podophyllinum, 370
Septoria sp., on celery, 648
--- avenae, 369, 385, 592
--- azaleae, 371
--- cucurbitacearum, 648
--- dianthi, 369
--- linicola, 370
--- lycopersici, 648
--- nodorum, 647, 987
--- pentstemonis, 370
--- rumicis, 371
--- tritici, 647, 958, 987
Sesamum indicum: Verticillium albo-atrum, 803
Setaria italica: Panicum mosaic virus, 249; Striga sp., 379
--- viridis: Sclerotinia wilt, 72; wheat streak mosaic (virus), 590
Setrete, 978, 992
Seventy-seven Triple A SD, 322
Shell Seed Dressing AM, 322
Sicana odifera: Pseudomonas lachrymans, 139
Sida carpinifolia: mosaic (virus), 145
--- rhombifolia: mosaic (virus), 145
"Slow decline", of Eugenia aromatica, 62
Small grain fields: nematodes found in soil, 703
Small grains: diseases in New Jersey, 117; diseases in South Carolina, 863; Striga sp., 377
Smut, see under various genera and hosts
Smut B Gon, 978
Smut Go, 978
Sodium borate, 919
Sodium hypochlorite, 285
Sodium Omadine, 303
Sodium Propionate, 461
Sodium sulfanilate, 216
Soil fumigants, for control of Fusarium wilt and root-knot nematode of tobacco 27; for control of nematodes, 706
Soil fumigation, for control of nematodes, effect of, on the growth and yield of pine seedlings, 1021
Soil treatment, of black root rot infested soil, with allyl bromide, chlorobromopropene, and vapam, 174
Solanum gracile: potato virus Y, 143; tobacco etch virus, 143
--- nigrum: potato virus Y, 143; tobacco etch virus, 144
--- tuberosum var. andigenum: Macrophomina phaseoli, 1st rept. on this host in Peru, 814
Solbar, 561
Sorbic acid, 285, 461
Sordaria fimicola, 760, 761
Sorghum: covered kernel smut, 992; leaf rust, 647; seed treatment tests, 992; Striga sp., 379; varieties compared for reaction to mercury poisoning, 312
--- halepense: Striga sp., 379
--- vulgare var. sudanense: Striga sp., 379
Sorosporium ellisii, 369
South Africa, 394, 821, 931
South America, 964
South Carolina, 116, 125, 133, 148, 190, 255, 256, 377, 547, 854, 863, 971
South Dakota, 116, 962, 971
Southern leaf blight, of corn, 796
Soybean: bacterial pustule, 647; bibliography of viruses infecting, 579; Heterodera glycines, 33, 201, 923; maintaining bacterial organisms in soybean leaves, 1039; Pratylenchus spp., 839; root and stem rot, 1st rept. from Nebraska, 696
Speckled leaf blotch, of wheat, 647
Spergon, 457, 468, 792, 992
Spergon and Aldrin 50W, 468
Spergon-SL, 107, 781

Sphacelotheca occidentalis, 369
--- seymouriana, 369
--- sorghi, 992
Sphaerobolus stellatus, 537
Sphaeropsis malorum, 761
Sphaerostilbe repens, 57
Sphaerotheca sp., 209, on rose 534
--- humuli, 945
--- macularis, 23, 945
--- pannosa, 648
--- phytoptophila, 541
Spicaria sp., 351, 506
Sporonema oxycocci, 564
Sporotrichum malorum, 761
Spot blotch, of barley, 870, 987
Spot-rot complex, of apple, 760
Spreading decline, of citrus same disease as yellows of Piper nigrum, 267
Spring black stem, of alfalfa, 123
Squash: Radopholus similis, 33
---, Cocozelle: differential host for latent virus of Montmorency sour cherry, 11
Stagonospora maculata, 123
Stalk rot, of corn, 501, 505
Stalk-rot fungi, of corn, 111
Stauffer N-521, 561
Steccherinum ochraceum, 895
Stellaria media: curly top (virus), 723
Stem canker, of Cinchona spp., 59; Liquidambar styraciflua, 808
Stem rot, of peanut, 424
Stemphylium sp(p.), 789, antidoting effect of non-toxic salts toward inhibition by copper sulfate of spore germination in, 553; on Coronilla varia, 925
--- botryosum, 75
--- consortiale, 75
--- leaf spot, of alfalfa, 123
--- loti, 123
--- sarcinaeforme, 123, 926
--- solani, 878, 925, 1037
Stenotaphrum secundatum: Aphelenchoides spp., Discolaimus sp., Ditylenchus spp., 92; gray leaf spot, 871; Helicotylenchus sp., 92; nematodes, 705; Pratylenchus spp., 93; Radopholus sp., 93; Puccinia stenotaphri, 1st rept. in United States (Florida) 650; 1st rept. in the Western Hemisphere (Puerto Rico) 547; Rotylenchus spp., Triplonchium sp., Tylenchorhynchus spp., Tylenchus (? costatus), Tylenchus davainii, 93; Xiphinema sp., and X. americanum, 94
Stereum sp., 896
--- fasciatum, 896
--- frustulosum, 896
--- hirsutum, 896
--- lobatum, 896
--- purpureum, 896
--- rameale, 896
--- sanguinolentum, 896
Stinking root, of rubber, 57
Straighthead, of rice, 103
Strain, high temperature tolerant, of Helminthosporium turcicum, 796
Strawberry (see also Fragaria): Aphelenchoides spp., 92; aster yellows virus, 521; black root rot, 825; Botrytis and Rhizopus rots, chemicals for control, 460; Cylindrocarpon radicicola, 941; Ditylenchus spp., 92; gray mold, effect of fungicides, 755; leaf spot, 681, effect of fungicides 755; Meloidogyne hapla, 825, 770; Mycosphaerella fragariae, 649; Paurodontus sp., 92; plant certification program in Arkansas, 749; powdery mildew, 23, 330, 945; Pratylenchus spp., 93, 1019; Pyrenochaeta terrestris, 941; red stele, soil treatments for control of, 415; Rhizoctonia bud rot, 941; Rotylenchus spp., 93; Sclerotinia sclerotiorum on strawberry fruits in Washington, 1057; summer dwarf (nematode), 523; summer dwarf (virus), 398; Tylenchorhynchus spp., 93; Tylenchus spp., 94; Tylenchus (? costatus), 93; Verticillium wilt, 941; virus complexes transmitted by Capitophorus minor, 683; virus-free plants, 79; virus transmission by insert graft, 1009; yellows virus complex, not inactivated by growth regulating substances, 17
--- stocks, foundation, production of virus-free in screenhouse, 573
Streptomyces sp(p.), 75, 576
Streptomycin, 148, 150, 160, 449, 452, 453, 454, 465, 806, 919
Streptomycin nitrate, 19, 99, 151, 674, 939
Streptomycin plus copper, 158
Streptomycin plus glycerin, 158
Streptomycin sulfate, 17, 19, 99, 151, 461, 561, 674, 781, 939
Streptothricin, 160
Striga sp, in corn fields in North

(Striga sp.) and South Carolina, preliminary studies, 377; plant species susceptible in North Carolina, 379
--- asiatica (L.) O. Kuntze identification correct, 372; 1st rept. from South Carolina in corn fields, 133
--- lutea, 377
Stripe, of barley, 870, 987
Strumella coryneoidea, 896
"Stump rots", of tea, 58
Sugarcane (see also under Saccharum): red rot, 60; Striga sp., 377
Sulfur, 294
Sulfur-ferbam, 534
Sumatra, 55
Summer dwarf, of strawberry, 523
Susceptibility (see also reaction and resistance), of Gladiolus vars. to Botrytis, Curvularia and Fusarium, 47; of strains of sweet corn to wheat streak mosaic virus, 589; of sweet corn varieties to Pythium graminicola, 988
S/V Sovaspray, 711
Sweetgum, see Liquidambar
Sweetpotato: black rot, 661; dwarf (virus), 932; feathery mottle (virus), 930; Fusarium wilt, 54; mosaic (virus), 930, 932; mottleleaf (virus), 931; scab, 1055; southern celery strain of cucumber mosaic virus, 930
Swiss chard: curly top (virus), 648
Switchgrass, see Panicum virgatum
Syringa: powdery mildew, 330
Systox-lead arsenate, 534

Tag #331, 978
Taiwan, 915
Tanganyika, 930
Tank-mix zineb, 156
Taphrina caerulescens, 1052
--- deformans, 289, 648
Tar spot, of corn, 647
Target spot, of Trifolium pratense, 123
TBCS, 792
Tea, see Thea
Technical thiram, 308
Techniques: cork borer, of inoculating corn plants with stalk-rot fungi, 111; an explosion inoculation; 225; improved for handling nematode samples from Baermann funnel, 269; for inoculating oat plants with Septoria avenae, 592; for isolating monozoospores of Phytophthora infestans, 612; screening of nematocides, 527; recovery, for burrowing nematodes, recommended change in, 600; for transferring inoculum through a flame to reduce contamination, 903
Tennan #5, 880
Tennessee, 33, 116, 125, 188, 224, 398, 854, 923, 930, 971
Terminal bleach, of cereals, 118
Terraclor, 987
Terramycin, 19, 151, 205, 453, 454, 781, 919
Terramycin hydrochloride, 151
Tertiary Butyl Hydroperoxide, 285
Tetracycline, 449, 453, 454, 806, 919
Teucrium fruticans: Meloidogyne hapla, 1st rept. on this host (Calif.), 770
Texas, 42, 103, 105, 116, 125, 165, 190, 235, 547, 599, 726, 854, 860, 930, 955, 959, 964, 971, 995, 1026
Thea sinensis: black root rot, 57; blister blight, 57; pink disease, 57; red root, 58; "red rust", 57; root splitting disease, 58; "stump rots", 58; velvet blight, 57; white root rot, 58
Theobroma cacao: black pod rot and canker, 58; black root rot, 58; dieback, 58; red root, 58; witches'-broom reported in Java, but probably erroneous, 58
Thiactin, 781
Thielaviopsis basicola, 174
Thimet, 528
Thiolutin, 438, 781
Thioneb, 289, 294, 465, 781
Thioneb 50W, 468, 789, 880
Thiram, 325, 327, 415, 465, 755
Thylate, 289, 297, 757, 789, 790, 880
Thyridaria tarda, 57
Tilletia sp., 647
--- caries, 976, 983
--- contraversa, 983, 916
--- foetida, 317, 976
T.M.F. 142, 992
Tobacco (see also Nicotiana): Alternaria leaf spot, 647; angular leafspot, 1st rept. from Florida, 804; bacterial wilt, 61; "black leg and hollow stalk", 61; black root rot, soil treatment, 174; black shank, 61, 177; blue mold, 465, 940; coarse root,

(Tobacco) 174; cottonseed oil formulations of organic fungicides for tobacco foliage, 465; curly top (virus), 723; frogeye, 61; Fusarium wilt and root-knot nematode controlled with soil fumigants, 27; leaf curl (virus), 61; Meloidogyne sp., 177; Meloidogyne hapla, 770; mosaic (virus), 61; powdery mildew, 61; Pratylenchus sp., 177; Pseudomonas solanacearum, 182; ringspot (virus), 61; soil pH, effect on incidence of soil-borne diseases, 177; Striga sp., 377; Tylenchorhynchus claytoni, 182; wildfire, 805, 939, control 99
Toluene, 260
Tomato (see also Lycopersicon): bacterial spot, 878; big bud (virus), 53; Cladosporium fulvum, 657; Colletotrichum atramentarium, 1032; control of foliar diseases in Florida, 878; curly top (virus), 53, 647, 723; early blight, 657, effect of potassium gibberellate 890; effect of irrigation frequency and size of seedlings on root knot index 605; Fusarium wilt, Vapam ineffective against, 778; gray leaf spot, 878; gray mold, 878; late blight, 223, 657, 878, effect of potassium gibberellate 890; leaf mold, 1058; Meloidogyne sp., 648; Meloidogyne hapla, 770; Meloidogyne incognita acrita and M. hapla, effect of, on Fusarium wilt, 182; mosaic viruses, 648; Paurodontus sp., 92; Phoma leaf spot, 657; powder-puff type of inflorescences, 481; powdery mildew, 648; Pratylenchus spp., 93, 839; Radopholus similis, 33; resitance to Meloidogyne javanica and M. incognita acrita, 180; Rhizopus nigricans, effectiveness of copper treated wrappers in preventing spread of, 474; Rotylenchus spp., 93; Sclerotinia stem rot, 1st rept. from Louisiana, 643; Septoria lycopersici, 648; spotted wilt (virus), 647; Tylenchorhynchus spp., 93
--- plants: antifungal properties detected in leaves treated with cycloheximide acetate, 447
Toxicity, of hexachlorobenzene to Urocystis agropyri, 558
Trametes americana, 896
--- heteromorpha, 896
--- hispida, 896
--- hispida, 896
--- mollis, 896
--- protracta, 896
--- sepium, 896
--- serialis, 896
Transmission of anthracnose of cucumber by seed and insect, 69; by dodder of aster yellows virus from strawberry to periwinkle and back to strawberry, 521
Tranzschelia pruni-spinosae, 648
Treatment, hot-water, of avocado seed for Phytophthora cinnamomi, 678
Treatment, of seed grain with mercury compounds, study of health hazards, 512
Trees, tolerant to V-C 13 Nemacide, 199
Tribasic copper, 77
Tribasic copper sulfate, 99, 150, 156, 417, 457, 658, 790, plus Agristrep 457
Trichloromelamine, 461
2, 4, 5-Trichlorophenoxyacetic acid, 919
Trichoconis caudata, 105
Trichoderma sp., 75
Trichoderma köningii, 75, 351
Trichoderma lignorum, 506
Trichoderma viride, 351, 760, 761
Trichodorus sp(p.), 187, 703, 705, in Israel 93
--- christiei, 772, 1016
--- (?primitivus), 93
Tricothecin, 781
Trifolium spp.: powdery mildew, 330
--- pratense: leaf necrosis produced by adding chemicals to the soil, 120; mosaic (virus), 123; pea mosaic (virus), 10; pea streak (virus), 10; pea stunt viruses, 10; pepper spot, 123; powdery mildew, 123; Pratylenchus spp., 839; Pseudopeziza sp., 926; red clover vein mosaic virus, 123; Sclerotinia crown and stem rot, 123; Stemphylium sarcinaeforme, 1st rept. on this host in Uruguay, 926; target spot, 123; Uromyces trifolii, 926
--- repens: bean yellow mosaic virus, 928
--- --- var. Ladino: Cercospora leaf and stem spot, 123; Meloidogyne hapla, 770; mosaics (virus), 928; pepper spot, 123; Pratylenchus spp.,

(Trifolium var. Ladino:)1019; red clover vein mosaic virus, 1st rept. of natural occurrence on this host (New York), 928; white clover mosaic virus, 123; yellow patch (alfalfa mosaic virus), 123
Triplonchium sp., in Israel, 93
Triticum aestivum: cereal yellow dwarf, 733
Tritoflorol, 562
Triton B-1956, 205, 711
Truck crops, tolerant to V-C 13 Nemacide, 200
Tsuga: nematodes, 187
--- canadensis: Phacidiopycnis pseudotsugae, 623
Tuberculina maxima, 712
Tulipa sp.: Penicillium cyclopium, 371
Turkey, 721
Turnip: Meloidogyne sp., 648; Radopholus similis, 33; Verticillium wilt, 1st rept. on this host (Kansas), 1053
Tuzet, 561
Tween, 535
Tween 20, 890
Tylencholaimus, in Israel, 94
Tylenchorhynchus sp(p.), 187, 403, 525, 526, 703, 705, in Israel 93
--- brevidens, in Israel, 93
--- claytoni, 29, 182
--- magnicauda, in Israel, 93
--- maximus, in Israel, 93
--- parvus, in Israel, 93
Tylenchulus semipenetrans, 405, 525, 771, in Israel 93
Tylenchus sp(p.), 25, 403, 526, in Israel 94
--- (?costatus), in Israel, 93
--- davainii, in Israel, 93
Typhula spp., 346
Tyrothricin, 453, 454, 781

Ullucus tuberosus: Aecidium sp., perhaps new to this host, 648
Ulmus spp.: Dutch elm disease distribution in North America 634, status in Illinois 636; nematodes, 187; phloem necrosis (virus), 636; Verticillium wilt, 1053
--- americana: Verticillium wilt, 1053
Umbellularia californica: Meloidogyne hapla, 1st rept. on this host (Calif.), 770
Uncinula necator, 648
Uredinopsis mirabilis, 370
Urediospores, of Puccinia, methods of collecting in the field, 973
Urocystis agropyri, 370, 558
--- anemones, 369
Uromyces betae, 648
--- bicolor, 369
--- fabae, 648
--- flectens, 647
--- phaseoli, 648
--- --- var. typica, 884, 890, 1036
--- trifolii, 647, 926
Urtica sp.: Discolaimus sp., 92; Helicotylenchus sp., 92; Tylenchorhynchus spp., 93; Tylenchus (?costatus), 93
Uruguay, 885, 926
Ustilago spp., 46
--- avenae, 117, 317, 558, 986
--- hordei, 317, 558, 647, 987
--- kolleri, 117, 317
--- maydis, 507, 647, 699
--- nuda, 117, 202, 558, 647, 870, 987
--- --- tritici, 558
--- parlatorei, 371
--- striiformis, 123, 369
--- tritici, 117, 647, 867, 987
--- --- race 20 in Indiana, 975
Ustulina vulgaris, 896
Utah, 118, 916, 976

Valsa (Cytospora), 811
--- sordida, 892
Vancide, 992
Vancide 15, 417
Vancide 51, 166, 416
Vancide 51ZW, 166, 325, 327, 657
Vancide 51-zinc sulfate, 880
Vancide A, 289
Vancide A and M, 297
Vancide F-1665, 433
Vancide M, 781
Vancide Z-65, 433
Vapam, 174, 355, 405, 778, 1047
Vascular wilt, of Albizzia julibrissin, 640
V-C 13, 772
V-C 13 Nemacide, 195, 271, 706
Vegetable seeds: effects of chemical treatments, storage periods and storage temperatures on viability of, 308; treatment for improved emergence, 468
Vegetables: Dorylaimus spp., 92
Velsicol, 992
Velsicol Emmi, 978
Velvet blight, of tea, 57
Venezuela, 911
Venturia inaequalis, 293, 649, 1051
Vermiculite, 325
Vermont, 635
Verticillium spp., 75, 351
--- albo-atrum, 24, 53, 125, 126,

(Verticillium albo-atrum) 337, 369, 493, 803, 885, 941, 1053
--- malthousei, 351
--- psalliotae, 351
--- wilt, of cotton, 341
Vetch: Tylenchorhynchus brevidens, 93; Tylenchorhynchus dubius, 93
---, crown, see Coronilla
Viburnum opulus: Pseudomonas viburni, 371
Vicia faba: veinal mosaic (virus), 928
Victoria blight, of oats, 986
Vigna sinensis: cucumber mosaic virus, 143; powdery mildew, 330
Vinca rosea: cucumber mosaic virus, 143
Virginia, 116, 188, 190, 195, 271, 424, 547, 598, 634, 635, 854, 971
Virus diseases: chile pepper, 53; Fragaria chiloensis, 24; okra, 726; soybean, 579; strawberry, 683; Trifolium repens, 10
--- ---: big bud of chile pepper, 53; tomato, 53
--- ---: blight ?, of Helianthus, 647
--- ---: chlorotic streak of Saccharum spp., 60
--- ---: crinkle (leaf curl) of geranium, 86
--- ---: curly top of beet, 648; Beta macrocarpa, Chenopodium album, C. amaranticolor, C. murale 723; chile pepper 53; Datura stramonium 723; flax 995; Malva parviflora x Petunia hybrida 723; Nicotiana glauca and N. glutinosa 723; Stellaria media 723; sugar beet 53, 648, 721; swiss chard 648; tobacco 723; tomato 53, 647, 723; Zinnia elegans 723
--- ---: cytovirin, new antiviral agent, 576
--- ---: cereal yellow dwarf of Avena spp., 732; Triticum aestivum, 733; host range of two strains 730, of three strains 732
--- ---: dwarf of sweetpotato, 932
--- ---: dwarf, summer, of strawberry, 398
--- ---: electron microscope, important aid in determining virus relationships, 250
--- ---: exocortis of trifoliate orange rootstocks, 235
--- ---: "Fiji" disease of Saccharum spp., 60
--- ---: hoja blanca of rice (probably a virus disease), 911
--- ---: leaf cupping (curly top?), of geranium, 87
--- ---: leaf curl of Paeonia, 691; tobacco, 61
Virus diseases (mosaics): mosaic of Bidens pilosa, 145, Chenopodium ambrosioides anthelminticum 145, chile pepper 53, Helianthus 885, Ladino clover 928, lettuce 53, oats 254, 256, 986, rye 255, Saccharum spp., 60, Sambucus simpsoni, Sida carpinifolia, S. rhombifolia 145, sweetpotato 930, 932, tobacco 61, tomato 648, Trifolium pratense 123, wheat 254, 256, Wisteria sp., 691
--- ---: alfalfa mosaic of alfalfa, 123; pepper, 143
--- ---: barley stripe mosaic of barley, 117, 392; wheat, 392
--- ---: bean yellow mosaic of Trifolium repens, 928
--- ---: cucumber mosaic of Commelina nudiflora 143, 145, Nicotiana glutinosa and pepper 145, Vigna sinensis and Vinca rosea 143
--- ---: leaf breaking (mosaic) of geranium, 86
--- ---: Panicum mosaic of Digitaria sanguinalis 241, P. miliaceum 249, P. virgatum 241, Setaria italica 249
--- ---: red clover vein mosaic of Ladino white clover 928, red clover 123
--- ---: southern celery strain cucumber mosaic of sweetpotato, 930
--- ---: stripe mosaic of barley, 514, 735
--- ---: tobacco mosaic of pepper and Physalis elliottii, 145
--- ---: veinal mosaic of Lathyrus odoratus, pea, and Vicia faba 928
--- ---: wheat streak mosaic of Agrotricum hybrids, barley and oats 591, Setaria viridis 590, sweet corn 589, wheat 591
--- ---: white break (cucumber mosaic virus) of gladiolus, 141
--- ---: white clover mosaic of Ladino clover, 123
--- ---: yellow vein mosaic of Lavatera assurgentiflora, Malva spp., 1006
Virus diseases: mottle, feathery,

(Virus diseases) of sweetpotato, 930; mottle leaf of sweetpotato, 931; mottle, Lambert, of sweet cherry, 517
--- ---: new virus disease of cotton, 726
--- ---: phloem necrosis of Ulmus spp., 636
--- ---: potato virus Y, of Indigofera hirsuta 145, Physalis angulata, Solanum gracile, S. nigrum 143
--- ---: Rangpur lime disease, in Florida, 235
--- ---: red leaf of oats, 46, 986
--- ---: ring pox of apricot, 690
--- ---: ringspot of Gomphrena globosa and Hydrangea, 1005, tobacco, 61
--- ---: ringspot, aster, of pepper, 145
--- ---: ringspot, tobacco, of Iris germanica and Lilium Longiflorum, 524
--- ---: rosette of sugar beet, 1001
--- ---: "sereh", of Saccharum spp., 60
--- ---: spotted wilt, of geranium 86, of tomato 647
--- ---: stone fruit virus isolates in cucumber, 11
--- ---: stripe of rice, 913
--- ---: tobacco etch of Indigofera hirsuta 145, pepper 144, Physalis angulata and Solanum gracile 143, S. nigrum 144
--- ---: tomato spotted wilt, 143
--- ---: tristeza of Citrus 821, 1011, Citrus limon in Arizona 1014, Mexican lime seedlings 230
--- ---: tristeza and psorosis of Citrus, effect of heat treatments, 232
--- ---: tristeza and seedling yellows of citrus, 394
--- ---: vein yellowing of citrus, 741
--- ---: xyloporosis in Brazil, 743
--- ---: yellows of lettuce, 53
--- ---: yellows, aster, of flax, 994; strawberry, 521
--- ---: yellows virus complex of strawberry, 17
Vitis: dead-arm disease, 822
Volutella pachysandricola, 370

W-85, 1023
Washington, 74, 83, 344, 493, 558, 567, 569, 608, 671, 730, 976, 1057
Watermelon: downy mildew, 620; Radopholus similis, 33
Weather 1956: Nov., 65; Dec., 130
Weather 1957: Jan., 220; Feb., 373; March, 497; April, 548; May, 652; June, 717; July, 816; August, 906; Sept., 950; Oct., 1060
Weather data and occurrence of late blight of potato, 936
Weather injuries: cold injury to young pine trees, 494; drought injury to Cocos nucifera 61, to flax 46; frost injury to pea, 480; wind-whip to snap bean, 795
West Indies, 547
West Virginia, 190, 362, 634, 760
Wet rot, see red root
Wheat (see also Triticum): Aphelenchoides spp., 92; Aphelenchus spp., 92; barley stripe mosaic (virus), 392; bunt, 976, seed treatment, 317; Cephalosporium leaf stripe, 1st rept, in New York, 384; Ditylenchus spp., 92; downy mildew, 45; dwarf bunt, response to seed and soil surface treatment with hexachlorobenzene, 916; flag smut, 558; foot rot, 117; glume blotch, 647, 987; Helicotylenchus sp., 92; leaf blotch, 987; leaf rust, 42, 115, 117, 867, 987; leaf spot, 117; loose smut, 117, 867, 975, 987; mosaic, maintenance of naturally infectious cultures of the soil-borne virus of wheat mosaic, without the use of soil, 254; mosaic, soil-borne virus of, chemical control and overseasoning of, and natural inoculation with, 256; nematodes found in soil, 703; Paurodontus sp., 92; powdery mildew, 117, 330, 845, 867, 987; Pratylenchus spp., 93; Psilenchus sp., 93; Rotylenchus spp., 93; scab, 117; seedling blight and smut, 317; Septoria leaf blotch, 958; smut, 647; speckled leaf blotch, 647; stem rust 42, 647, 867, pathogenicity of certain isolates to Durum wheat varieties 848, treatment with derivatives of

(Wheat) cycloheximide induced resistance in a spring variety, 442; stripe rust, 45, 647, in Colo., Nebr., S. Dak., and Wyo., 959, in Kansas 949, epiphytotic in Texas 995, 1st rept. on this host from Oklahoma 958; terminal bleach, 118; Tylenchorhynchus dubius, 93; Tylenchorhynchus maximus, 93; Tylenchus (?costatus), 93; wheat streak mosaic (virus), 591
White leaf, see hoja blanca
White mold, of beans, see Sclerotinia wilt
White root, of rubber, 57
White root rot, of tea, 58
White rot, of onion, 814
White rust, of Helianthus, 885; sunflower, 647
Wildfire, of tobacco, 99, 805, 939
Wilt, of Helianthus, 885
Wisconsin, 116, 137, 385, 592, 612 634, 854, 857, 964, 971
Wisteria sp.: mosaic (virus) transmissible by grafting, not by sap inoculation, 691
Witches'-broom, of Celtis occidentalis, 541
WK-34, 216
Wood products: fungi associated with decay in United States, 894
Wyoming, 116, 432, 442, 488, 533, 962

Xanthomonas citri, 1055
--- corylina, 1058
--- juglandis, 1057
--- malvacearum, 125, 126
--- pelargonii, 536
--- phaseoli, 488, 647
--- --- var. fuscans, 488
--- solanacearum, 29
--- vasculorum, 60
--- vesicatoria, 878
Xiphinema sp(p.), 187, 403, 404, 525, 526, 703, 705, in Israel 94
--- americanum, 1021, in Israel, 94
--- krugi, in Israel, 94
X.S.F. #3, 433
Xylaria polymorpha, 896

Yellow cuprocide, 107
"Yellow disease", of pepper, 62
Yellow leaf blotch, of alfalfa, 123
Yellow spot, of Saccharum spp., 60
Yellows, of Piper nigrum, 267; radish, 779

Zea mays: Macrophomina phaseoli, 371
Zerlate, 789
Zinc glass frit, 1033
Zinc Omadine, 303
Zinc sulfate, 54
Zineb, 78, 136, 166, 216, 325, 326, 465, 755
Zinnia: powdery mildew, 330
--- elegans: Alternaria zinniae, 371; curly top (virus), 723
Zoysia spp.: nematodes, 705
Zythia fragariae, 943

ERRATA

On page 641, next to last line on page, read oxysporum f. perniciosum instead of oxysporum f. perniciosium.

See also corrections on pages 64, 128, 219, 496, 547, 650, 716, 815, 905, 1059

MYCOLOGY AND PLANT DISEASE REPORTING SECTION